```
OM protein - protein search, using sw model

                        GenCore version 4.5
                        Copyright (c) 1993 - 2000 Compugen Ltd.

Run on:          September  4, 2002, 13:53:36 ; Search time 165.17 Seconds
                                              (without alignments)
                                              315.394 Million cell updates/sec

Title:           US-09-052-089A-1
Perfect score:   2384
Sequence:        1 MPIRALCTICSDFFDHSRDV........VRVKTVPSLFQAKLDTFLWS 469

Scoring table:   BLOSUM62
                 Gapop 10.0 , Gapext 0.5

Searched:        747574 seqs, 111073796 residues

Total number of hits satisfying chosen parameters:            747574

Post-processing: Minimum Match 08
Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Database :       A_Geneseq_032802:*
                 1: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1980.DAT:*
                 2: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1981.DAT:*
                 3: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1982.DAT:*
                 4: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1983.DAT:*
                 5: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1984.DAT:*
                 6: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1985.DAT:*
                 7: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1986.DAT:*
                 8: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1987.DAT:*
                 9: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1988.DAT:*
                10: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1989.DAT:*
                11: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1990.DAT:*
                12: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1991.DAT:*
                13: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1992.DAT:*
                14: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1993.DAT:*
                15: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1994.DAT:*
                16: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1995.DAT:*
                17: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1996.DAT:*
                18: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1997.DAT:*
                19: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1998.DAT:*
                20: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA1999.DAT:*
                21: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA2000.DAT:*
                22: /SIDS5/gcgdata/geneseq/geneseqp-embl/AA2001.DAT:*

Maximum Match 100%
Listing first 45 summaries
```

SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

Result No.	Score	% Query Match	Length	DB	ID	Description
1	2357	98.9	469	20	AAY30149	Amino acid sequenc
2	2350	98.6	469	19	AAW37881	BRCA1 modulator pr
3	286.5	12.0	455	22	ABB61289	Drosophila melanog
4	187.5	7.9	2663	22	AAM39097	Human polypeptide
5	187.5	7.9	2688	22	AAM40083	Human polypeptide
6	184.5	7.7	2633	22	ABG05505	Novel human diagno
7	179	7.5	477	21	AAB42819	Human ORFX ORF2683
8	178	7.5	962	20	AAY31646	Human ORFX ORF2683
9	174.5	7.3	533	22	AAM79969	Human transport-as
10	174	7.3	463	22	ABG03671	Novel human diagno
11	172.5	7.2	1374	22	AAB69070	Human male enhance
12	170.5	7.2	1456	22	ABB58673	Drosophila melanog
13	170	7.1	951	22	ABB59033	Drosophila melanog
14	169.5	7.1	484	22	AAM78985	Human protein SEQ
15	169	7.1	1690	22	ABB61144	Drosophila melanog
16	169	7.1	1690	22	ABB61173	Drosophila melanog
17	168	7.0	1325	18	AAW19540	Male-enhanced anti
18	168	7.0	1325	20	AAW94391	Mouse male enhance
19	167.5	7.0	934	22	AAU01768	Human secreted pro
20	167.5	7.0	1017	22	AAE02246	Domestic mite Btll
21	167.5	7.0	2517	21	AAY71159	Human phosphodiest
22	167	7.0	482	22	ABB71396	Drosophila melanog
23	167	7.0	2067,	22	ABB71125	Domestic mite Btll
24	166.5	7.0	875	22	AAE02245	Domestic mite Btll
25	166.5	7.0	878	22	AAE02242	Domestic mite Btll
26	166	7.0	1960	22	AAM78854	Human protein SEQ
27	166	6.9	2143	22	ABG01716	Novel human diagno
28	165.5	6.9	2954	20	AAY01632	Amino acid sequenc
29	165.5	6.9	690	22	AAM80122	Human protein SEQ
30	164.5	6.9	880	22	AAB93332	Putative P. abyssi
31	164	6.9	808	22	ABG05140	Novel human diagno
32	164	6.9	808	22	AAB96721	Novel human diagno
33	164	6.9	2442	21	AAY75575	Putative P. abyssi
34	163.5	6.9	1177	22	AAP90955	Human cytoskeletal
35	163.5	6.9	441	10	AAR41780	M6 streptococcal p
36	163.5	6.9	441	14	AAW08927	Streptococcus pyog
37	163.5	6.9	483	18	AAM40016	Type-6 M-protein.
38	163.5	6.9	1213	22	ABB59807	Human polypeptide
39	163.5	6.9	1639	20	AAY07031	Drosophila melanog
40	163.5	6.9	1752	22	AAM40099	Breast cancer asso
41	163.5	6.9	1988	22	AAM41000	Human polypeptide
42	163.5	6.9	2779	22	ABB62371	Drosophila melanog
43	163.5	6.9	2918	22	ABG27218	Novel human diagno
44	163	6.8	721	21	AAB21227	Protein encoded by
45	163	6.8	1717	22	ABG20672	Novel human diagno

ALIGNMENTS

```
RESULT   1
AAY30149

ID   AAY30149 standard; Protein; 469 AA.
XX
AC   AAY30149;
XX
DT   27-OCT-1999  (first entry)
XX
DE   Amino acid sequence of a BRCA1 modulator protein.
XX
KW   Modulator protein; BRCA1; tumour suppressor protein; breast cancer;
KW   ovarian cancer; cell growth; cell proliferation.
XX
OS   Homo sapiens.
XX
FH   Key              Location/Qualifiers
FH
FT   Region           3..32
FT                    /note= "zinc finger motif"
FT   Region           230..255
FT                    /note= "leucine zipper motif"
XX
PN   US5948643-A. .
XX
PD   07-SEP-1999.
XX
PF   13-AUG-1997;  97US-0968751.
XX
PR   13-AUG-1997;  97US-0968751.
XX
PA   (ONYX-) ONYX PHARM INC.
XX
PI   Lingenfelter C, Polakis PG, Rubinfeld B, Vuong TT;
XX
DR   WPI; 1999-517952/43.
```

RESULT 2
AAW37881
ID   AAW37881 standard; Protein; 469 AA.
XX
AC   AAW37881;
XX
DT   28-AUG-1998 (first entry)
DT
XX
DE   BRCA1 modulator protein 091-21A31.
XX
DR   N-PSDB: AAX86754.
XX
PT   Modulator proteins that bind to and modulate the activity of the
PT   BRCA1 tumour suppressor gene product, useful for the treatment of
PT   ovarian and breast cancer
XX
PS   Example 1; Fig 1; 35pp; English.
XX
CC   The present sequence represents a modulator protein, that binds to and
CC   modulate the activity of the BRCA1 gene product (BRCA1). The BRCA1
CC   protein has been characterized as a tumour suppressor protein.
CC   Alterations in the amino acid sequence of BRCA1 causes breast and ovarian
CC   cancers by removing the controls on cell growth and proliferation.
CC   Research has shown that different regions on the BRCA1 molecule have
CC   different effects on cell growth and tumour suppression (e.g. full length
CC   truncated BRCA1 has no effect on breast cancer cell growth but will
CC   inhibit ovarian cancer cell growth). It has been suggested that different
CC   host cell factors (e.g. proteins) interact with different regions of the
CC   BRCA1 to control its function. The identification of these proteins
CC   (e.g. BRCA1MP) will facilitate the development of novel diagnostic
CC   methods and new therapeutics for identifying and treating cancers caused
CC   by changes in the expression or activity of BRCA1.
XX
SQ   Sequence 469 AA;

Query Match   98.9%; Score 2357; DB 20; Length 469;
Best Local Similarity   99.1%; Pred. No. 3.9e-184;
Matches 465; Conservative   0; Mismatches   4; Indels   0; Gaps   0;

```
Qy    1 MPIRALCTICSDFPDHSRDVAAIHCGHTFHLQCLIQSFETAPSRTCPQCRIQVGKRTIIN 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 mpiralcticsdfpdhsrdvaaihcghtfhlqcliqwfetapsrtcpqcriqvgkrtiin 60

Qy   61 KLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVS 120
        ||||||||||| |||||||||||||||||||||||||||||||||||||||||||||||
Db   61 klffdlaqeeenvidaeflkneldnvraqlsqkdkekrdsqviidtlrdtleernatvvs 120

Qy  121 LQQALGKAEMLCSTLKKQMKYLEQQODETKQAOEEAGRLRSKMKTMEQIELLLQSOLPEV 180
        |||||||||||||||||||||| |||||| |||||||||||||||||||||||| ||
Db  121 lqqalgkaemlcstlkkqmkyleqqqdetkqaqeeagrlrskmktmeqielllqsqrpev 180

Qy  181 EEMIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKLQTVY 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 eemirdmgvgqsaveqlavycvslkkeyenlkearkasgevadklrkdlfssrsklqtvy 240

Qy  241 SELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLNLPPVASETVDRLVLESPAPVE 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 seldqaklelksaqkdlqsadkeimslkkkltmlqetlnlppvasetvdrlvlespapve 300

Qy  301 VNLKLRRPSFRDDIDLNATFDVDFDPPARPSSSSQHGYYEKLCLEKSHSPIQDVPRKICKGP 360
        |||||||||||||||||||| |||||||| ||| |||||| ||||||||||||| |||||
Db  301 vnlklrrpsfrddidlnatfdvdtpparpsssqhgyyekiclekshspiqdvpkkickgp 360

Qy  361 RKESQLSLGGQSCAGEPDEELVGAFPIFVRNAILGQKQPKPRPSESSCCSKDVVRTGFDGL 420
        |||||||||||||||||||||||||||||||||||||||||||||||| |||||||||||
Db  361 rkesqlslggqscagepdeelvgafpifvrnailgqkqpkprpsesscskdvvrtgfdgl 420

Qy  421 GGRPKFIQPTDTVMIRPLPVKPKTKVKQRVRVRKVTVPSLFQOAKLDTFLWS 469
        ||||| |||||||||||||||||||||||||||||||||||| |||||||||
Db  421 ggrtkfiqptdtvmirplpvkpktkvkqrvrvrkvtvpslfqakldtflws 469
```

DR   BRCA1 modulator protein; 091-21A31; breast cancer antigen 1;
KW   tumour suppressor protein; diagnosis; therapy; human.
XX
OS   Homo sapiens.
XX
FH   Key   Location/Qualifiers
FT   Domain   3..54
FT   /note= "zinc finger motif"
FT   Domain   229..255
FT   /note= "leucine zipper motif"
XX
PN   WO9810066-A1.
XX
PD   12-MAR-1998.
XX
PD   06-AUG-1997;   97WO-US13944.
XX
PR   04-SEP-1996;   96US-0025601.
XX
PA   (ONYX-) ONYX PHARM INC.
XX
PI   Ligenfelter C, Polakis P, Rubinfeld B, Vuong TT;
XX
DR   WPI; 1998-193616/17.
XX
DR   N-PSDB; AAV29062.
XX
PT   Breast cancer antigen 1 modulator protein - useful for diagnosing
PT   diseases involving unwanted cell growth, e.g. breast cancer, and for
PT   producing therapeutics for treatment of such diseases
XX
PS   Example 1; Fig 1; 73pp; English.
XX
CC   This polypeptide comprises a 53 kDa BRCA1 modulator protein that
CC   binds to the tumour suppressor gene product BRC1, and which is
CC   characterised by a zinc finger domain and a leucine zipper motif.
CC   Its amino acid sequence was deduced from the nucleotide sequence
CC   of a cDNA clone (see AAV29062), designated 091-21A31 (ATCC 98141),
CC   isolated from a HeLa cell cDNA library using a yeast two-hybrid
CC   assay. 3 cDNA clones (see also AAV29063-64) coding for BRCA1
CC   modulator proteins (see AAW37881-83) have been characterised. Vectors
CC   and host cells comprising the isolated nucleic acid sequences are
CC   claimed, as well as a process for producing BRCA1 modulator protein
CC   by culturing these host cells. BRCA1 modulator proteins and nucleic
CC   acids can be used to diagnose diseases involving unwanted cell
CC   growth, e.g. breast cancer, and to identify compounds that alter
CC   BRCA1 interaction with BRCA1 modulators for the treatment of such
CC   diseases.
XX
SQ   Sequence 469 AA;

Query Match   98.6%; Score 2350; DB 19; Length 469;
Best Local Similarity   98.9%; Pred. No. 1.5e-183;
Matches 464; Conservative   0; Mismatches   5; Indels   0; Gaps   0;

```
Qy    1 MPIRALCTICSDFPDHSRDVAAIHCGHTFHLQCLIQSFETAPSRTCPQCRIQVGKRTIIN 60
        ||||||||||||| ||||||||||||||||||||||| ||||||||||||||||||||||
Db    1 mpiralcticsdffdhsrdvaaihcghtfhlqcliqwfetapsrtcpqcriqvgkrtiin 60

Qy   61 KLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVS 120
        ||||||||||| |||||||||||||||||||||||||||||||||||||||||||||||
Db   61 klffdlaqeeenvidaeflkneldnvraqlsqkdkekrdsqviidtlrdtleernatvvs 120

Qy  121 LQQALGKAEMLCSTLKKQMKYLEQQODETKQAOEEAGRLRSKMKTMEQIELLLQSOLPEV 180
        |||||||||||||||||||||| |||||| |||||||||||||||||||||||| ||
Db  121 lqqalgkaemlcstlkkqmkyleqqqdetkqaqeeagrlrskmktmeqielllqsqrpev 180

Qy  181 EEMIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKLQTVY 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 eemirdmgvgqsaveqlavycvslkkeyenlkearkasgevadklrkdlfssrsklqtvy 240

Qy  241 SELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLNLPPVASETVDRLVLESPAPVE 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
```

```
Db  241 seldqaklelksaqkdiqsadkeimslkkktlmlqetlnlppvasetvdrivlespapve 300

Qy  301 VNLKLRRPSFRDDIDLNATFDVDTPPARPSSSSOHGYYEKLCLEKSHSPIQDVPKKICKGP 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 vnlklrpsfrddidlnatfdvdtpparpssssqhgyyekiclekshspiqdvpkkickgp 360

Qy  361 RKESQLSLGGQSCAGEPDEELVGAFPIFVRNAILGQKPKRPSRSESSCSKDVVRTGFDGL 420
        |||||||| ||:|||||||||||:|||||||||||||||||: ||||||||||||||:||
Db  361 rkesqlsggqscsagepdeelvgaafpifvrnailgqkpkrpsessccskdvvrtgfdgl 420

Qy  421 GGRTKFTQPTDTVMIRPLPVKPKTKVKQRVRVKTVPSLFQAKLDTFLWS 469
        |||||:|||||||||||||||||||||||||||||||||||||||:||||
Db  421 ggrtkfiqptdtvmirplpvkpktkvkqrvrvktvpslfqaklhtflws 469


RESULT 3

ID  ABB61289 standard; Protein; 455 AA.
AC  ABB61289;
DT  26-MAR-2002 (first entry)
DE  Drosophila melanogaster polypeptide SEQ ID NO 10659.
KW  Drosophila; developmental biology; cell signalling; insecticide;
KW  pharmaceutical.
OS  Drosophila melanogaster.
PN  WO20017I042-A2.
PD  27-SEP-2001.
PF  23-MAR-2001; 2001WO-US09231.
PR  23-MAR-2000; 2000US-1916637P.
PR  11-JUL-2000; 2000US-0614150.
PA  (PEKE ) PE CORP NY.
PI  Venter JC, Adams M, Li PWD, Myers EW;
DR  WPI; 2001-655860/75.
DR  N-PSDB; ABL05392.
PT  New isolated nucleic acid detection reagent for detecting 1000 or more
PT  genes from Drosophila and for elucidating cell signalling and cell-cell
PT  interactions -
PS  Disclosure; SEQ ID NO 10659; 21pp + Sequence Listing; English.

CC  The invention relates "to an isolated nucleic acid detection reagent
CC  capable of detecting 1000 or more genes from Drosophila. The invention is
CC  useful in developmental biology and in elucidating cell signalling and
CC  cell-cell interactions in higher eukaryotes for the development of
CC  insecticides, therapeutics and pharmaceutical drugs. The invention
CC  discloses genomic DNA sequences (ABL01840-ABL16175), expressed DNA
CC  sequences (ABL16176-ABL30511), and the encoded proteins
CC  (ABB5737-ABB72072).
CC  The sequence data for this patent did not form part of the printed
CC  specification, but was obtained in electronic format directly from WIPO
CC  at ftp.wipo.int/pub/published_pct_sequences.

SQ  Sequence 455 AA;


Query Match             12.0%;  Score 286.5;  DB 22;  Length 455;
Best Local Similarity   24.3%;  Pred. No. 5.5e-15;
Matches  114;  Conservative  82;  Mismatches 161;  Indels 113;  Gaps 18;

Qy    7 CTICSDFFDFHSRDVDVAAIHCGHTFHLQCLLIQSFETAPSRTCPQCCRIQVGKRTIINKLFFDL 66
        | ||:: | :|| ||| | |||||| |  | || || :| ||| | :::|:|
```

```
Db    6 cvicaelfgqadevfatvcghmfhhnclnqwldr--sktcpqcrnkcttrnif-rvyfnl 62

Qy   67 AQEEENVLDREEFLKNELDNVRAQLSOKDKEKRDSQVIIDTLRDTLEERNATVVSLQQALG 126
        :|| ::   | :|  |:|    |: ::|||    :|:|||
Db   63 anldvshidvgslqeqldnamlsnkmvekerndeqqidlketqkkiclktiagleqkvq 122

Qy  127 KAEMLCSTLKKQMKYLEQQODETKOAQEEAGRLRSKMKMMEQIELLLQSQLPEVEEMIRD 186
        | |:  :|||  :  |:   | ::|:| || |  : |: :|:
Db  123 kkdflissyveqigylksdahvdglrkenktlksqiqsmegiisailaagsadadrlikn 182

Qy  187 MGVGQSAVEQLAVTCVSLKKEYENLK----EARKASGEVADKLRKDLFSSR------ 233
        | :| :  :|:| |:   |:|   ||    |||:| ||| | |: ||||||
Db  183 ----eadphvlanwvstlkrelrqceskktelrnvvkvvqgndlrkeielkryahnipvv 238

Qy  234 ------SKLQTVYSELD-------QAKL---ELKSAQKDLQSA-----DKEIMSLKKK 270
        :||:  |: |:   :|::: |    | |||: ||
Db  239 fiidmcsfdcskleervshlesdlyqaqeklqafenktayldspnascglnsnllalkre 298

Qy  271 LTMLQETLNLPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDIDLNATFDVDTPPARPS 330
        |:|:|  |||  |:| : |   |   |||:   |
Db  299 ----errttisptvkenikr-ieestspy-lnik-- 326

Qy  331 SSQHGYYE------KLCLEKSH-SPIQDVPKKICKGPRKESQLSLGGQSCAG------EPDE 379
        || | :|      || |: |  :|| |||: |: :  || ||||||:|:|      :||:
Db  327 sssvglahlintkgniglakskispikgvg------------ggvsmtsgtlrktss 371

Qy  380 ELVGAFPIFVRNAILGQKPKRPSRSESSCSKDVVRTG----FDGLGGRTK 425
        :| | :|:|:    | |  :| || ::|:|   ||    ::|::||:|
Db  372 dlsekysif------kprllgsssssaltattgsnfvyngmggsek 413


RESULT 4

ID  AAM39097 standard; Protein; 2663 AA.
AC  AAM39097;
DT  22-OCT-2001 (first entry)
DE  Human polypeptide SEQ ID NO 2242.
KW  Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW  peripheral nervous system; neuropathy; central nervous system; CNS;
KW  Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW  amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW  chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW  leukaemia.
OS  Homo sapiens.
PN  WO20015331Z-A1.
PD  26-JUL-2001.
PF  26-DEC-2000; 2000WO-US34263.
PR  21-JAN-2000; 2000US-0488725.
PR  25-APR-2000; 2000US-0552317.
PR  09-JUL-2000; 2000US-0598042.
PR  19-JUL-2000; 2000US-0620312.
PR  03-AUG-2000; 2000US-0653450.
PR  14-SEP-2000; 2000US-0662191.
PR  19-OCT-2000; 2000US-0693036.
PR  29-NOV-2000; 2000US-0727344.
PA  (HYSE-) HYSEQ INC.
PI  Tang YT,  Liu C,   Asundi V,  Chen R,   Ma Y,    Qian Y,   Ren F,   Wang D;
PI  Wang J,   Wang Z,  Wehrman T, Xu C,    Xue AJ,  Yang Y,   Zhang J;
PI  Zhao QA,  Zhou P,  Goodrich R, Drmanac RT;
DR  WPI; 2001-442253/47.
DR  N-PSDB; AAI58253.
```

```
XX
PT   Novel nucleic acids and polypeptides, useful for treating disorders
XX
PS   Example 4; SEQ ID NO 2242; 10078pp; English.
XX
CC   The invention relates to human nucleic acids and polypeptides
CC   the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence 2663 AA;

Query Match             7.9%;  Score 187.5;  DB 22;  Length 2663;
Best Local Similarity   25.1%;  Pred. No. 7.8e-06;
Matches  93;  Conservative  66;  Mismatches 133;  Indels 79;  Gaps 18;

Qy     55 KRTIINKLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDKEK-RDSQVIIDTLRDTLEE 113
              |  |  :  : ||  |||||  |:|  |||
Db   1632 kmtavn------etqekmceiehlkeqfetqkinlenieteniriltqi----lhenlee 1680

Qy    114 RNATVVSLQQALGKAEMLCSTLKQMKYLEQQODET----KQAQEEAG----RLRSKMKT 165
             :|  :|  |||||||||:|||||||    || ||  |||  ||  | | ||  :|
Db   1681 mr-svtkerddlrsve---etlkverdqlkenlretitrdlekqeelkivhmhlkehqet 1736

Qy    166 MEQIELLLQSQLPEVEEMIRDMGVGQOSAV--------EQLAVYCVSLKKEYENLKEARKA 217
             ||:|  |:|:  |||  ||        | | |  |::||   |:| |
Db   1737 idklrgivsektneisnmqkdlehsndalkaqdlkiqeelriahmhlkeqgetidklrgi 1796

Qy    218 SGEVADKL---RKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADK---EIMSLKKK- 270
             |||||||    |||:|| |||: :|:|| ::| ||  :|| |||: |: :||||||
Db   1797 vsektdklsnmqkdlensnaklqekiqelkanehqlitlkkdvnetqkkvsemeqlkkqi 1856

Qy    271 ------LTMLQ-EFLNLPPVASEIVDRL-----VLESPAPVEVNLKLRRPSFRRDDI---- 314
                 | |: |||  |  :|   | | | :| || |||::|: :
Db   1857 kdqsltlsklelenlnlaqelhenleemksvmkerdnlrrveetiklerdqlkeslqetk 1916

Qy    315 --DLNATFDVDTPPARPSSSOH-------GYYEKLC-----------LEKSHSPIQDVPKK 355
             |:   |  |  |  | |  | |  |  |
Db   1917 ardleigqeikt--armlskeheteivdklreklisektiqisdiqkdldkskdelq--kk 1971

Qy    356 ICKGPRKESQL 366
             |:|  || ||
Db   1972 lqelqkkelql 1982

RESULT  5
ID   AAM40883 standard; Protein; 2688 AA.
XX
AC   AAM40883;
XX
DT   22-OCT-2001 (first entry)
XX
DE   Human polypeptide SEQ ID NO 5814.
XX
KW   Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW   peripheral nervous system; neuropathy; central nervous system; CNS;
KW   Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW   amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW   chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW   leukaemia.
XX
OS   Homo sapiens.
XX
PN   WO200153312-A1.
XX
PD   26-JUL-2001.
XX
PF   26-DEC-2000; 2000WO-US34263.
XX
PR   21-JAN-2000; 2000US-0488725.
PR   25-APR-2000; 2000US-0552317.
PR   09-JUL-2000; 2000US-0598042.
PR   19-JUL-2000; 2000US-0620312.
PR   03-AUG-2000; 2000US-0653450.
PR   14-SEP-2000; 2000US-0662191.
PR   19-OCT-2000; 2000US-0693036.
PR   29-NOV-2000; 2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT,  Liu C,  Asundi V,  Chen R,  Ma Y,  Qian XB,  Ren F,  Wang D;
PI   Wang J,  Wang Z,  Wehrman T,  Xu C,  Xue AJ,  Yang Y,  Zhang J;
PI   Zhao QA,  Zhou P,  Goodrich R,  Drmanac RT;
XX
DR   WPI; 2001-442253/47.
DR   N-PSDB; AAI60039.
XX
PT   Novel nucleic acids and polypeptides, useful for treating disorders
XX
PS   Example 2; SEQ ID NO 5814; 10078pp; English.
XX
CC   The invention relates to human nucleic acids and polypeptides
CC   the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence 2688 AA;

Query Match             7.9%;  Score 187.5;  DB 22;  Length 2688;
Best Local Similarity   25.1%;  Pred. No. 7.9e-06;
Matches  93;  Conservative  66;  Mismatches 133;  Indels 79;  Gaps 18;

Qy     55 KRTIINKLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDKEK-RDSQVIIDTLRDTLEE 113
              |  |  :  : ||  |||||  |:|  |||
Db   1656 kmtavn------etqekmceiehlkeqfetqkinlenieteniriltqi----lhenlee 1704

Qy    114 RNATVVSLQQALGKAEMLCSTLKQMKYLEQQODET----KQAQEEAG----RLRSKMKT 165
             :|  :|  |||||||||:|||||||    || ||  |||  ||  | | ||  :|
Db   1705 mr-svtkerddlrsve---etlkverdqlkenlretitrdlekqeelkivhmhlkehqet 1760

Qy    166 MEQIELLLQSQLPEVEEMIRDMGVGQOSAV--------EQLAVYCVSLKKEYENLKEARKA 217
             ||:|  |:|:  |||  ||        | | |  |::||   |:| |
Db   1761 idklrgivsektneisnmqkdlehsndalkaqdlkiqeelriahmhlkeqgetidklrgi 1820

Qy    218 SGEVADKL---RKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADK---EIMSLKKK- 270
             |||||||    |||:|| |||: :|:|| ::| ||  :|| |||: |: :||||||
Db   1821 vsektdklsnmqkdlensnaklqekiqelkanehqlitlkkdvnetqkkvsemeqlkkqi 1880
```

```
Qy   271  ------LTMLQ-ETLNLPPVASETVDRL-----VLESPAPVEVNLKLRRPSFRDDI---- 314
               :|:|| |||||||||||           || ||||| ||||  |
Db  1881  kdgsltlskleienlnlaqkhenleemksvmkerdnlrrveetiklerdqlkeslqetk 1940

Qy   315  --DLNATFDVDTPPARPSSSQH--------GYYEKLC--------------LEKSHSPIQDVPKK 355
             || ||  |  |||| ||            |:|  ||               |:| || ||
Db  1941  ardleiqgelkt--armlskehketvdklrekisektiqisdiqkdldkskdelq--kk 1995

Qy   356  ICKGPRKESQL 366
          ||| ||
Db  1996  lqelqkkelql 2006
```

RESULT   6
ID   ABG06505 standard; Protein; 2633 AA.
XX
AC   ABG06505;
XX
DT   13-FEB-2002 (first entry)
XX
DE   Novel human diagnostic protein #6496.
XX
KW   Human; chromosome mapping; gene mapping; forensic;
KW   food supplement; medical imaging; diagnostic; genetic disorder.
XX
OS   Homo sapiens.
XX
XX
PN   WO200175067-A2.
XX
PD   11-OCT-2001.
PF   30-MAR-2001; 2001WO-US08631.
PR   31-MAR-2000; 2000US-0540217.
PR   23-AUG-2000; 2000US-0649167.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Drmanac RT, Liu C, Tang YT;
XX
DR   WPI; 2001-639362/73.
DR   N-PSDB; AAS70692.
XX
PT   New isolated polynucleotide and encoded polypeptides, useful in
PT   diagnostics, forensics, gene mapping, identification of mutations
PT   responsible for genetic disorders or other traits and to assess
PT   biodiversity
XX
PS   Claim 20; SEQ ID No 36864; 103pp; English.
XX
CC   The invention relates to isolated polynucleotide (I) and
CC   polypeptide (II) sequences. (I) is useful as hybridisation probes,
CC   polymerase chain reaction (PCR) primers, oligomers, and for chromosome
CC   mapping, and in recombinant production of (II). The
CC   polypeptides are also used in diagnostics as expressed sequence tags
CC   for identifying expressed genes. (I) is useful in gene therapy techniques
CC   to restore normal activity of (II) or to treat disease states involving
CC   (II). (II) is useful for generating antibodies against it, detecting or
CC   quantitating a polypeptide in tissue, as molecular weight markers and as
CC   a food supplement. (II) and its binding partners are useful in medical
CC   imaging of sites expressing (II). (I) and (II) are useful for treating
CC   disorders involving aberrant protein expression or biological activity.
CC   The polypeptide and polynucleotide sequences have applications in
CC   diagnostics, forensics, gene mapping, identification of mutations
CC   responsible for genetic disorders of other traits to assess biodiversity
CC   and to produce other types of data and products dependent on DNA and
CC   amino acid sequences. ABG00010-ABG30377 represent novel human
CC   diagnostic amino acid sequences of the invention.
CC   Note: The sequence data for this patent did not appear in the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.

XX
SQ   Sequence 2633 AA;
XX

Query Match   7.7%;
Best Local Similarity   24.4%;
Matches 88; Conservative 66; Mismatches 135; Indels 71; Gaps 16;

Score 184.5; DB 22; Length 2633;
Pred. No. 1.4e-05;

Qy   55 KRTIINKLFPDLAQBEENVLDREFLKNELDNVRAQLSQKDKEK-RDSQVIIDTLRDTLEE 113
              :| :| | || || ||| |||
Db 1681 mr-svtkerddlrsve--etlkverdqlkenlrettitrdlekgeelkivhmhlkehqet 1736

Qy   114 RNATVVSLQOOALGKAEMLCSTLLKQMKYLEOQODET----KQQABEAG----RLRSKMKT 165
               :| |:| | | :|
Db 1632 kmtavn------etqekmceiehlkeqfetqkinlenleteniriqi----lhenlee 1680

Qy   166 MEQIELLLQSQLPEVEEMIRDMGVGQSAV------------EQLAVVCVSLKKEYENLKEARKA 217
               :|: :| | | |||| || :|| ||
Db 1737 idkirgivsektneismqkdlehsndalkaqdlkiqeelriahmhlkeqgetidklrgi 1796

Qy   218 SGEVADKL---RKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADK---EIMSLKKK- 270
               || :| ||:| ||| | ||| :|||
Db 1797 vsektdklsnmqkdlensnaklqekigelkanehglitlklkdvnetqkkvsemeqlkkqi 1856

Qy   271 ------LTMLQ-ETLNLPPVASETVDRL-----VLESPAPVEVNLKLRRPSFRDIDLNA 318
               :|:|| ||||||||||| || ||||| |||| || ||
Db 1857 kdgsltlskleienlnlaqkhenleemksvmkerdnlrrveetiklerdqlkeslqetk 1916

Qy   319 TFDVDTPPARPSSSQHGYYEKLC------------LEKSHSPIQDVPKKICKGPRKESQL 366
          || || | |||| || |:| |:| || || ||| ||
Db 1917 ardleiqgelktcs-----ekisektiqisdiqkdldkskdelq---kkiqelqkkelql 1968

RESULT   7
ID   AAB42919 standard; Protein; 477 AA.
XX
AC   AAB42919;
XX
DT   08-FEB-2001 (first entry)
XX
DE   Human ORFX ORF2683 polypeptide sequence SEQ ID NO:5366.
XX
KW   Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW   vulnerary; antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
KW   anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;
KW   immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW   hypotensive; dermatological; immunosuppressive; antiinflammatory;
KW   antiviral; antibacterial; antifungal; antirheumatic; antithyroid;
KW   antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW   neurodegenerative disorder; osteoarthritis; graft vs host disease;
KW   cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW   cholesterol ester storage; systemic lupus erythematosus; infection;
KW   severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW   allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW   bone damage; cartilage damage; antiinflammatory disease; coagulation;
KW   thrombosis; contraceptive.
XX
OS   Homo sapiens.
XX
XX
PN   WO200058473-A2.
XX
PD   05-OCT-2000.
PF   31-MAR-2000; 2000WO-US08621.
PR   31-MAR-1999; 99US-0127607.
PR   02-APR-1999; 99US-0127636.
PR   05-APR-1999; 99US-0127728.
PR   30-MAR-2000; 2000US-0540763.
XX
PA   (CURA-) CURAGEN CORP.
XX
```

PI   Shimkets RA, Leach M;
XX
DR   WPI: 2000-602362/57.
DR   N-PSDB: AAC77128.
XX
PT   Novel nucleic acids and peptides derived from open reading frame X,
PT   useful for treating e.g. cancers, proliferative disorders,
PT   neurodegenerative disorders and cardiovascular disease -
XX
PS   Claim 11; Page 4548-4549; 5507pp; English.
XX
CC   AAC74446 to AAC77606 encode the proteins given in AAB40237 to AAB43397,
CC   which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC   sequences have activities such as: cytostatic; hepatotropic; vulnerary;
CC   antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
CC   osteopathic; anticonvulsant; antiarthritic; immunosuppressant;
CC   immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC   antidiabetic; hypotensive; dermatological; immunosuppressive;
CC   antiinflammatory; antiviral; antifungal; antirheumatic;
CC   antithyroid; and antianaemic. The sequences can be used for determining
CC   the presence of or predisposition to, or preventing or treating
CC   pathological conditions associated with an ORFX-associated disorder. The
CC   nucleic acids can be used to express ORFX proteins in gene therapy
CC   vectors. The proteins and nucleic acids may be used to treat cancers,
CC   proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC   graft vs host disease, cardiovascular disease, diabetes mellitus,
CC   hypertension, hypothyroidism, cholesterol ester storage, systemic lupus
CC   erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC   bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC   allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC   nocturnal haemoglobinuria, antiinflammatory disease; to enhance
CC   coagulation; to inhibit thrombosis; and as a contraceptive.
XX
SQ   Sequence 477 AA;

Query Match             25.3%;  Score 179;  DB 21;  Length 477;
Best Local Similarity   7.5%;   Pred. No. 3.5e-06;
Matches    84;  Conservative   56;  Mismatches  132;  Indels   60;  Gaps   14;

Qy     5 ALCTICSDFFDHSRDVAATHCGHFFHLQCLLIQSFETAPSR------------TCPQCRIQVG 54
           | :|:|| | |:|     ||:| ||    |:|:                  |:|
Db    14 atcsicldyf---tdpvmttcghhfcraciqlswekargkkgrrkrkgsfpcecremsp 70

Qy    55 KRTII-NKLFFDLAQ--EEENVLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTL 111
           |:|| :|||| |    ||::| |          : | | |: :|::
Db    71 qrnllpnrlltkvaemaqphpglqkqdlcqehheplkifcqkdqsp-----icvvcresr 125

Qy   112 EERNATVVSLQQOALGKAEMLCSTLKKQMKYLEQQQDET--KQAQEEAGRLRSKMKTMEQI 169
           ||| | | |:|| :| :||| |:|| || :|| |||:   |:|| |::: | |
Db   126 ehrlhrvlpaeeavqgyKl---kleedmeylreqitrtgnlqareeqslaewqgkvkerr 182

Qy   170 ELLLQSQLPEVEEMIRDMCVGQSAVEQLAAVYCVSLKKEYENLKEARKASGEVADRLRKDL 229
           |:|||||| |:|| : |  | | :|  | : |||:|| : |  : |:|:|:|: || ||
Db   183 erivle----------fekmnlylv--eeeqrllqaleteeeetasrllresv 222

Qy   230 FSSRSKLQTVYSELDQARKLELKSAQKDLQSAD--KEIMSLKKLTMLQETLNLPPVASET 287
           | : |: :: ||:: | ::||  : ||:||    |:| |: |  |::|:|| |: |
Db   223 acldrgghsl--ellilgleerstqgplqmlqdmkeplsrknnv-----svqcpevappt 275

Qy   288 VDRLVLESPAPVEVNLKLRRPSFRDDIDLNAT 319
           |:| || |  |  : ||: | :|: |:| |
Db   276 rprtvcrvpqgqlev---lr-gfiedvvpdat 302

DE   Human transport-associated protein-8 (TRANP-8).
XX
KW   Transport-associated protein; TRANP; nuclear pore; nuclear transport;
KW   vesicle trafficking; cancer; cystic fibrosis; multidrug resistance;
KW   hypercholesterolaemia; diagnosis; treatment.
XX
OS   Homo sapiens.
XX
FH   Key                Location/Qualifiers
FT   Modified-site      18
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      34
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      74
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      81
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      91
FT                      /note= "O-phosphorylated by tyrosine kinase"
FT   Modified-site      101
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      123
FT                      /note= "N-glycosylated"
FT   Modified-site      129
FT                      /note= "N-glycosylated"
FT   Modified-site      243
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      336
FT                      /note= "N-glycosylated"
FT   Modified-site      410
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      451
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      453
FT                      /note= "N-glycosylated"
FT   Modified-site      585
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      631
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      632
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      717
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      754
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      758
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      780
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      844
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      882
FT                      /note= "O-phosphorylated by casein kinase II"
FT   Modified-site      890
FT                      /note= "N-glycosylated"
FT   Modified-site      902
FT                      /note= "O-phosphorylated by casein kinase II"
XX
PN   WO9941373-A2.
XX
PD   19-AUG-1999.
XX
PF   05-FEB-1999; 99WO-US02527.
XX
PR   11-FEB-1998; 98US-0021764.
XX
PA   (INCY-) INCYTE PHARM INC.
XX
PI   Au-Young J, Bandman O, Baughn MR, Corley NC, Guegler KJ;
PI   Hillman JL, Lal P, Yue H;
XX
DR   WPI; 1999-508646/42.
DR   N-PSDB; AAZ11738.

```
XX
PT
PT   Human TRANP coding sequences, used to treat transport disorders and
CC   cancer
XX
PS   Claim 1: Page 74-77; 87pp; English.
XX
CC   This sequence represents human transport-associated protein-8 (TRANP-8).
CC   The DNA sequence was first identified in a human colon tissue
CC   cDNA library. The full-length cDNA was derived from a series of
CC   overlapping and/or extended cDNA sequences and is a consensus.
CC   TRANP-1 to 9 (AAY31639-Y31647) are a novel group of proteins with
CC   chemical and structural homology that are involved in molecular
CC   transport. Various disorders are associated with defects in the transport
CC   of molecules, either intracellularly or to the extracellular
CC   environment. Examples of such disorders include cystic fibrosis,
CC   multidrug resistance, hypercholesterolaemia and certain forms of diabetes
CC   mellitus. Defective nuclear transport may play a role in cancer. For
CC   example, the BRCA1 protein, associated with familial breast cancer, is
CC   normally imported into the nucleus via nuclear pore complexes, but is
CC   aberrantly located in the cytoplasm in breast cancer cells. In other
CC   cancers, cells can secrete excessive amounts of hormones e.g., cancers of
CC   the adrenal medulla can secrete excessive amounts of adrenaline and
CC   noradrenaline, leading to hypertension. TRANP is expressed in cancer
CC   cells, and transport disorders result from either excessive or
CC   insufficient molecular transport. Anti-TRANP antibodies and nucleic acids
CC   encoding TRANP can be used as diagnostic tools for such disorders. TRANP
CC   antagonists can be used to treat or prevent a cancer associated with
CC   increased TRANP expression. Anti-TRANP antibodies can be used directly
CC   as an antagonist or as a targeting mechanism for drugs. Alternatively,
CC   a a TRANP antisense nucleotide can be used to treat cancers. A TRANP
CC   agonist or expression vector may be used to treat a disorder caused by
CC   reduced transport of biologically active molecules.
XX
SQ   Sequence    962 AA;

Query Match             7.5%;  Score 178;  DB 20;  Length 962;
Best Local Similarity   20.4%;  Pred. No. 1.1e-05;
Matches    76;  Conservative   62;  Mismatches   92;  Indels  142;  Gaps  11;

Qy    52 QVGKRTIINKLFF------------------DLAQEEENVLDREFIK--NELDNV--RAQLS 91
Db   571 rigkenfiekigfiskhelysrasqkpqpnfpspeymifdheftklvkelegvitkaiyk 630

Qy    92 OKDKERDSQV--------IIDTLRDTLEERNATVVSLQQALG---KAEMLCSTLKKQ 138
Db   631 sseedkkeeevktleqhdnivthyknmireqdlqleelrqqvstlkcqneqlqtavtqq 690

Qy   139 MKYLEQOQDE-----TKQAQ-----EEAGRLRSKMKTMEQIELLLQ 174
Db   691 vsqiqghkqynlikiqlqkdnqhqgsysegagmnigqpeeigrlreeleelkrnqeliq 750

Qy   175 SOLPEVEEMIRDMGVGQSA-------------VEQLAVVCVSLK-------- 205
Db   751 sqltekdsmienmksqstgtneqssaivsardseqvaelkqelatlksqlnsqsveitk 810

Qy   206 --------------------------------KEYENLKEARKASGEV 221
Db   811 lqtekqelilqkteafaksvevqgetetiiatktdvegrlsallqetkelkneikalsee 870

Qy   222 ADKLRKDLFSSRSKLQTVYSELDQAKLELKSAQKD-------LQSADKEIMSLKKKLTML 274
Db   871 rtaikeqldssnstialiqtekdkleleitdskkeqddlvlladqdqkllslknklkd1 930

Qy   275 QETLNLPPVASE 286
Db   931 gh------pveee 937

RESULT   9
AAM79969
ID   AAM79969 standard; Protein; 533 AA.
XX
```

```
AC   AAM79969;
XX
DT   06-NOV-2001 (first entry)
XX
DE   Human protein SEQ ID NO 3615.
XX
KW   Human; cytokine; cell proliferation; cell differentiation; gene therapy;
KW   vaccine; peptide therapy; stem cell growth factor; haematopoiesis;
KW   tissue growth factor; immunomodulatory; cancer; leukaemia;
KW   nervous system disorder; arthritis; inflammation.
XX
OS   Homo sapiens.
XX
PN   WO200157190-A2.
XX
PD   09-AUG-2001.
XX
PF   05-FEB-2001; 2001WO-US04098.
XX
PR   03-FEB-2000; 2000US-0496914.
PR   27-APR-2000; 2000US-0560875.
PR   20-JUN-2000; 2000US-0598075.
PR   19-JUL-2000; 2000US-0620325.
PR   01-SEP-2000; 2000US-0654936.
PR   15-SEP-2000; 2000US-0665561.
PR   20-OCT-2000; 2000US-0693325.
PR   30-NOV-2000; 2000US-0728422.
XX
PA   (HYSE-) HYSEQ INC.
XX
DR   N-PSDB; AAK53102.
XX
PI   Tang YT, Liu C, Drmanac RT, Asundi V, Zhou P, Xu C, Cao Y, Ma Y;
PI   Zhao QA, Wang D, Wang J, Zhang J, Ren F, Chen R, Wang ZW;
PI   Xue AJ, Yang Y, Wejhrman T, Goodrich R;
XX
WPI; 2001-476283/51.
N-PSDB; AAK53102.
XX
SQ   Sequence    533 AA;

PS   Claim 20: Page 397; 6221pp; English.
XX
PT   Nucleic acids encoding polypeptides with cytokine-like activities,
PT   useful in diagnosis and gene therapy -
XX
CC   The invention relates to polynucleotides (AAK51456-AAK53435) and the
CC   encoded polypeptides (AAM78323-AAM80302) that exhibit activity elating to
CC   cytokine, cell proliferation or cell differentiation or which may induce
CC   production of other cytokines in other cell populations. The
CC   polynucleotides and polypeptides are useful in gene therapy, vaccines or
CC   peptide therapy. The polypeptides have various cytokine-like activities,
CC   e.g. stem cell growth factor activity, haematopoiesis regulating
CC   activity, tissue growth factor activity, immunomodulatory activity and
CC   activin/inhibin activity and may be useful in the diagnosis and/or
CC   treatment of cancer, leukaemia, nervous system disorders, arthritis and
CC   inflammation.
CC   Note: Records for SEQ ID NO 2110 (AAK52581), 2111 (AAK52582) and 3666
CC   (AAM80020) are omitted as the relevant pages from the sequence listing
CC   were missing at the time of publication.
XX
SQ   Sequence    533 AA;

Query Match             7.3%;  Score 174.5;  DB 22;  Length 533;
Best Local Similarity   20.2%;  Pred. No. 9.7e-06;
Matches    86;  Conservative   84;  Mismatches   155;  Indels  101;  Gaps  15;

Qy    30 HLQCLIQSEFTAPSRTCPQCRIQVG-----------KRTIIN---KLFFDLAQEE----- 70
Db    15 hievlkes1-takegraaiiqtevdalrirleeketmlnkktkiqdmaeekgtqageih 73

Qy    71 --ENVLDRE-----FLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVSLQQ 123
Db    74 dlkdmldvkerkvnvlqkkienlqeqlrdkekqmsslkervkslqadttndtaltttee 133

Qy   124 ALGKAEMLCSTLKKQMKYLEQOQDETKQAQEEAGRLRSKMKTMEQIELLLQSQLPEVEEM 183
```

```
Db  134 alaekertierlk-----eqrdrderekqeeidnykdalkdlkekvsllggdlsekeas
             ||:|:|||          |||:|            |||  |||:|
Qy  184 IRDMGVGVGQS--------AVEQLAVYCV---SLKKEYENLKEARKASGEV      221
Db  188 lldlkehasslassglkkdsrlktlelalaleqkkeeclkmesqlkkaheaalear-aspem  246
Qy  222 ADK--LRKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSL---------      267
             :|:         |||::|||:|||:||||:||||||:||||||:
Db  247 sdriqhlereitrykdesskaqaevdrlleilkevenekndkdkkiaeleslsrqvkdq  306
Qy  268 ------------KKKLTMLQETL---NLPVASETVDRLVLESPAPVEVNLKLRRP      308
Db  307 nkkvanlkhkeqvekkksaqmleearrredqlndssqglqdslrkkddrleel-----ee  361
Qy  309 SFRDDIDLNATFDV---DTPPARPSSSOHGYYEKLCLEKSHSPIODVPKKICKGPR----  361
Db  362 alresvqitaerenvlaqeesartnaekqveellmamekvkqelesmkakisstqqslae  421
Qy  362 KESOLS                                                      367
Db  422 kethlt                                                      427
```

```
RESULT 10
ID   ABG03671 standard; Protein; 463 AA.
AC   ABG03671;
XX
DT   13-FEB-2002 (first entry)
XX
DE   Novel human diagnostic protein #3662.
XX
KW   Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW   food supplement; medical imaging; diagnostic; genetic disorder.
OS   Homo sapiens.
XX
PN   WO200175067-A2.
XX
DR   WPI; 2001-639362/73.
DR   N-PSDB; AAS67858.
XX
PI   Drmanac RT, Liu C, Tang YT;
XX
PA   (HYSE-) HYSEQ INC.
XX
PT   New isolated polynucleotide and encoded polypeptides, useful in
PT   diagnostics, forensics, gene mapping, identification of mutations
PT   responsible for genetic disorders or other traits and to assess
PT   biodiversity
XX
PS   Claim 20; SEQ ID No 34030; 103pp; English.
XX
CC   The invention relates to isolated polynucleotide (I) and
CC   polypeptide (II) sequences. (I) is useful as hybridisation probes,
CC   polymerase chain reaction (PCR) primers, oligomers, and for chromosome
CC   and gene mapping, and in recombinant production of (II). The
CC   polynucleotides are also used in diagnostics as expressed sequence tags
CC   for identifying expressed genes. (I) is useful in gene therapy techniques
CC   to restore normal activity of (II) or to treat disease states involving
CC   (II). (II) is useful for generating antibodies against it, detecting or
CC   quantitating a polypeptide in tissue, as molecular weight markers and as
CC   a food supplement. (II) and its binding partners are useful in medical
CC   imaging of sites expressing (II). (I) and (II) are useful for treating
CC   disorders involving aberrant protein expression or biological activity.
CC   The polypeptide and polynucleotide sequences have applications in
CC   diagnostics, forensics, gene mapping, identification of mutations
CC   responsible for genetic disorders or other traits to assess biodiversity
CC   and to produce other types of data and products dependent on DNA and
CC   amino acid sequences. ABG00010-ABG30377 represent novel human
CC   diagnostic amino acid sequences of the invention.
CC   Note: The sequence data for this patent did not appear in the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence    463 AA;
XX
```

```
Query Match       7.3%;  Score 174;  DB 22;  Length 463;
Best Local Similarity   24.2%;  Pred. No. 8.7e-06;
Matches  78;  Conservative  52;  Mismatches 130;  Indels  62;  Gaps  11;

Qy   29 FHLQCLIQSFETAPSRTCPQCRIQVGKRTIINKLFFDLAQEEENVLDREFLKNELDNVRA   88
            |:||                   |:|  |||||:|||||:|||||||::||:||
Db  126 felqalleeerka-------yrinqveest--kqiqvlqaqwqrfhidtenlreqkdnela  176
Qy   89 QLSQKDKEKRDSQVII-DTLRDTLEERNATVVSLQQOAlGK--AEM----LCSTLKKQMK  140
            |:                |:|                  |:||     :|:
Db  177 sardelhsardemwivhqaaakvaserdtqlaslqeelkvraelerwrkaaseyekevt   236
Qy  141 YL-------------EQQODETKQAQEEAGRLRSKMKTME-------QIELLLQSOLPEVE  181
            |:                   |:|:||| |                  |:||:||:||
Db  237 slqnsfqlrcqqcoedqgreeasrlqgqelekirkewnaletechslkrenvllsselqrqe  296
Qy         ...
```

```
RESULT 11
AAB69070
ID   AAB69070 standard; Protein; 1374 AA.
XX
AC   AAB69070;
XX
DT   19-APR-2001 (first entry)
XX
DE   Human male enhanced antigen-2 (MEA-2) protein sequence SEQ ID NO:2.
XX
KW   Human; male enhanced antigen-2; MEA-2; Identification; spermatogenesis;
KW   spermatogenesis disease; chromosome marker; pancreatic cancer.
OS   Homo sapiens.
XX
PN   JP2000316580-A.
XX
PD   21-NOV-2000.
XX
PF   30-APR-1999; 99JP-0125196.
XX
PR   30-APR-1999; 99JP-0125196.
XX
PA   (ITOH-) ITO HAM KK.
XX
DR   WPI; 2001-128256/14.
DR   N-PSDB; AAF32508.
XX
PT   A new protein, human male-enhanced antigen-2, useful for detecting
PT   spermatogenesis diseases
```

```
Qy  182 ------------EMIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASGEVADKLRKDLF  230
                    |  |||||||||||||||||||||||||||||||||||||||||||||
Db  297 kelhnsqkqsleltsdlsilqmsrkelenqvgslkeqhlrdsadlktllskaenqakdvq  356
Qy  231 SSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLNLPPVASETVDR  290
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  357 keyektqtvlsel--klkfemteqekqsitdelkqcknnlkllrekgnnpsil------  407
Qy  291 LVLESPAPVEVNLKLRRPSFRD                                      312
            |||||||||||||||||
Db  408 ---qpvpaihrpi--pgfpd                                         423
```

Left column

XX
PS Claim 1; Page 12-15; Zipp; Japanese.
XX
CC The present sequence represents the human male enhanced antigen-2
CC (MEA-2). The present invention also described an antibody specific for
CC the MEA-2 protein. The antibody can be used for the identification of a
CC gene causing diseases related to spermatogenesis. The MEA-2 nucleotide
CC sequence is useful as a chromosome marker, and in the detection of
CC pancreatic cancer.
XX
SQ Sequence 1374 AA;

Query Match   Best Local Similarity 24.7%; Pred. No. 5.2e-05;
Matches 72; Conservative 57; Score 172.5; DB 22; Length 1374;
Mismatches 120; Indels 43; Gaps 9;

```
Qy   35 IQSFETAPSRTCPQCRIQVGKRTIINKLFFDLAQEEENVLDREFLKNELD-----NVRA 88
        |:|:|:| ||  ::||: |:|::::
Db 1084 lkrleesnkllalelehekglktglgqsnaal-rehnsilatalakreadlvqinlqvqa 1142

Qy   89 QLSQKDKEKRDSQVIIDTFLRDTLEERNATVVSLQQALGKAEMLCSTLKKQMKYLEQQDE 148
Db 1143 vlqrkeeedrqmkhlvqalqaslekekevnslkeqvaaakveaghnrrhfkaaslelse 1202

Qy  149 TK-------------QAQEEAGRLRSKMKTME----QIEL------LLQSQLPEVEEM 183
Db 1203 vkkelqakehlvqklqaeaddlqiregkhsqelaqfqaelaeeraqlqllqkql---deq 1259

Qy  184 IRDMGVGQSAVEQLAYVCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKLQTVYSEL 243
Db 1260 lskqpvgnqemenlkwevdqkereiqslkqqldlteqq---rkelqlqglqnvksel 1316

Qy  244 DQAKLELKSAQKDLQSADKEIMSLKKKL-TMLQET----LNLPPVASETVDR 290
Db 1317 emaqedismtqkdkfmlqakvselknnmktllgqnqqlkldirrgaaktvlr 1368
```

RESULT 12
ID ABB58673 standard; Protein; 1456 AA.
XX
AC ABB58673;
XX
DT 26-MAR-2002 (first entry)
XX
DE Drosophila melanogaster polypeptide SEQ ID NO 2811.
XX
KW Drosophila; developmental biology; cell signalling; insecticide;
KW pharmaceutical.
XX
OS Drosophila melanogaster.
XX
PN WO200171042-A2.
XX
PD 27-SEP-2001.
XX
PF 23-MAR-2001; 2001WO-US09231.
PR 23-MAR-2000; 2000US-1916397P.
PR 11-JUL-2000; 2000US-0614150.
XX
PA (PEKE) PE CORP NY.
XX
PI Venter JC, Adams M, Li PWD, Myers EW;
XX
DR WPI; 2001-658860/75.
DR N-PSDB; ABL02776.
XX
PT New isolated nucleic acid detection reagent for detecting 1000 or more
PT genes from Drosophila and for elucidating cell signalling and cell-cell
PT interactions -

Right column

PS Disclosure; SEQ ID NO 2811; Zipp + Sequence Listing; English.
XX
CC The invention relates to an isolated nucleic acid detection reagent
CC capable of detecting 1000 or more genes from Drosophila. The invention is
CC useful in developmental biology and in elucidating cell signalling and
CC cell-cell interactions in higher eukaryotes for the development of
CC insecticides, therapeutics and pharmaceutical drugs. The invention
CC discloses genomic DNA sequences (ABL16176-ABL30511), expressed DNA
CC sequences (ABL01840-ABL16175) and the encoded proteins
CC (ABS77737-ABB72072).
CC The sequence data for this patent did not form part of the printed
CC specification, but was obtained in electronic format directly from WIPO
CC at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ Sequence 1456 AA;

Query Match   Best Local Similarity 20.1%; Pred. No. 8.3e-05;
Matches 116; Conservative 97; Score 170.5; DB 22; Length 1456;
Mismatches 202; Indels 163; Gaps 22;

```
Qy   15 DHSRDVAAIH---CGHTFHLQCLIQSFETAPSRTCPQCRIQVGKRTIINKLFFDLAQEEE 71
Db   55 dyqrhiavlkeslcakeehynmlqtdveem-----rarleeknrllekktqgtl----q 104

Qy   72 NVLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTFLRDTLEERN-------------- 115
Db  105 tvqernrltseltelkdhmdikdrkisvlqrkienledllkekdnqvdmararlsamqah 164

Qy  116 -----ATVVSLQQALGKAEMLCSTLKKQMKYLEQQDETKQ-------------AQEE 155
Db  165 hsssegaltsleeaigdkekqmaqlrdqrdraehekqeerdlherevadykiklraaese 224

Qy  156 AGRLRSKMK-------TMEQIELLL--QSQL---PEVEEMIRDMGVGQSAVEQLAYVCVSL 204
Db  225 veklqtrlervatererleikleasgskskaeltceemgrssadwestkqriarl 284

Qy  205 KKEYENLKEARKAS---------------GEVADKLRKDLFSSRSKLQTVYSELDQA 246
Db  285 elenerlkhdlersgttfgrttmtsqeldragerdkasaaelrrtgaelrvtqsdaera 344

Qy  247 KLELKSAQKDLQSADKEIMSLKKKLTML---QETLNLP-PVASETVDRLVLESPAPVEVN 302
Db  345 reeaaalqekleksqgevyrlkaklenaqgeqeslrqelekaqsgvsrihadrdafsev 404

Qy  303 LKLRRPSFRDDIDLNATFDVDTPARPSSSQHGYYEKL--CLEKHSPI---QDVPKKIC 357
Db  405 ekikeemertqatlg-------eklqnsldkaqnevdhlqkldkac 450

Qy  358 KGPRK------------ESQLSLG-GQSCAGEPDEELVGAFPIFVRNAI-----LG 395
Db  451 tenrrlvlekeklrydydnlqsqldkalqqaarmqkerelisldtdrirek...qvqlg 510

Qy  396 QKQPKR---------PRSESSCS------KDVVRTGFDGLGGRTKFIQPTDTVMIR 436
Db  511 riqkerdqfsdeletlkersesaqtllmkaardreamgtdlevlker---------- 557

Qy  437 PLPVKPKTKVKQRVRVK----TVPSLFQAKLDTFLWS 469
Db  558 ---yekshaiqqklqmerddavteveiikekldkalya 592
```

RESULT 13
ID ABB59033 standard; Protein; 951 AA.
XX
AC ABB59033;
XX
DT 26-MAR-2002 (first entry)
XX
DE Drosophila melanogaster polypeptide SEQ ID NO 3891.
XX
KW Drosophila; developmental biology; cell signalling; insecticide;

KW   pharmaceutical.
XX
OS   Drosophila melanogaster.
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US09231.
PR   23-MAR-2000; 2000US-0191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PA   (PEKE) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL03136.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
     genes from Drosophila and for elucidating cell signaling and cell-cell
     interactions -
XX
PS   Disclosure: SEQ ID NO 3891; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signaling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL01840-ABL16175), expressed DNA
CC   sequences (ABL16176-ABL30511) and the encoded proteins
CC   (ABB5737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 951 AA;

Query Match   7.18; Score 170; DB 22; Length 951;
Best Local Similarity   20.9%; Pred. No. 5e-05;
Matches   94; Conservative   91; Mismatches 157; Indels 108; Gaps 19;

Qy   72 NVLDR-EFLKNELDNVRAQLSQKDKEKRDSQVIID----TLRDTLEERNATVVSLQQALG 126
           ||| |:||| :|:||| || :||::| ||| || |: ||:||
Db   333 npldrvghikqelyralgnlknkreevrrlekileernqelrvlrdqengslvql-etln 391

Qy   127 KAEMLCSTLKQMKYLEQQDETKQAQEEAGRLRSKMKTMEQIELLLQSQLPEVEEMIRD 186
           :|: :||:|: :| :| ::| |: :: ||:| ::|
Db   392 egkm---rlenkvkamqqeleeqkhrsqqesdvnsqlnsivaerdalrekrqqlee---- 444

Qy   187 MGVGQSAVEQLQAYVCVSLKKEYENLKEARK--ASGEVADKLR-------KDLFSSRS 234
           :|| |||
Db   445 ------deqlkqgnesigrnydqlsgenqlrtetadnlrlelerhkillrdsqseve 498

Qy   235 KLQTVYSELDQAKLELKSAQKDLQSAD--KEIMSLKKKLTMLQETLNLPPVASETVDRLV 292
           :|: |:|:|| : ||:|:|| :| |||:|| || || |:| || |:| |
Db   499 rlkklysdiatdkeslgyelrkiresdtikelqdqrqnlatvqrnlqlaemkseelkkll 558

Qy   293 LESPAPVEVNLK-LRRPSPRD----------------------DIDLNATFDV 322
           |:| :| |:| || ||
Db   559 eteklsherdlqalrqrserekreeavavakessencskciesiaeitkaeiqllklqnv 618

Qy   323 DTPPARP-SSSQHGYEKLCLEKSHSPIQDVPKKICKGPRKESQLSLGGQSCAGEPDEEL 381
           :| | | :| |::   ::| |||
Db   619 nsmqakelkeleh-----aleqsknlqaemqekielsnkqdelis------------dlker 663

Qy   382 VGAFPIFVRNAILGQKPKRPRSESSCSRKDVVRTGFDGLGGRTKFIQPTDTVMIRPLPVK 441
           :|: | :|| :| ::| : :|| | || | | |:|
Db   664 akqfeayir--------qgeehkqgnkctp-------------psp-k 700

Qy   442 PKTK------VKQRVRVKTVPSLFQAKILDTF 466
            ::|||| | |:|:|
Db   701 eltqnrirliegrvr-demaklfaaelkrf 729

RESULT 14
AAM78985
ID   AAM78985 standard; protein; 484 AA.
XX
AC   AAM78985;
XX
DT   06-NOV-2001 (first entry)
XX
DE   Human protein SEQ ID NO 1647.
XX
KW   Human; cytokine; cell proliferation; cell differentiation; gene therapy;
KW   vaccine; peptide therapy; stem cell; growth factor; haematopoiesis;
KW   tissue growth factor; immunomodulatory; cancer; leukaemia;
KW   nervous system disorder; arthritis; inflammation.
XX
OS   Homo sapiens.
XX
PN   WO200157190-A2.
XX
PD   09-AUG-2001.
XX
PF   05-FEB-2001; 2001WO-US04098.
XX
PR   03-FEB-2000; 2000US-0496914.
PR   27-APR-2000; 2000US-0560875.
PR   27-APR-2000; 2000US-0598075.
PR   20-JUN-2000; 2000US-0598075.
PR   19-JUL-2000; 2000US-0620325.
PR   01-SEP-2000; 2000US-0654936.
PR   15-SEP-2000; 2000US-0663561.
PR   20-OCT-2000; 2000US-0693325.
PR   30-NOV-2000; 2000US-0728422.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Drmanac RT, Asundi V, Zhou P, Xu C, Cao Y, Ma Y;
PI   Zhao QA, Wang D, Wang J, Zhang J, Ren F, Chen R, Wang ZW;
PI   Xue AJ, Yang Y, Wejhrman T, Goodrich R;
XX
DR   WPI; 2001-476283/51.
DR   N-PSDB; AAK52118.
XX
PT   Nucleic acids encoding polypeptides with cytokine-like activities,
PT   useful in diagnosis and gene therapy -
XX
PC   Claim 20; Page 3984-3985; 6221pp; English.
XX
CC   The invention relates to polynucleotides (AAK51456-AAK53435) and the
CC   encoded polypeptides (AAM78323-AAM80302) that exhibit activity elating to
CC   cytokine, cell proliferation or cell differentiation or which may induce
CC   production of other cytokines in other cell populations. The
CC   polynucleotides and polypeptides are useful in gene therapy, vaccines or
CC   peptide therapy. The polypeptides have various cytokine-like activities,
CC   e.g. stem cell growth factor activity, haematopoiesis regulating
CC   activity, tissue growth factor activity, immunomodulatory activity and
CC   activin/inhibin activity and may be useful in the diagnosis and/or
CC   treatment of cancer, leukaemia, nervous system disorders, arthritis and
CC   inflammation.
CC   Note: Records for SEQ ID NO 2110 (AAK52581), 2111 (AAK52582) and 3666
CC   (AAM80020) are omitted as the relevant pages from the sequence listing
CC   were missing at the time of publication.
XX
SQ   Sequence 484 AA;

Query Match   7.18; Score 169.5; DB 22; Length 484;
Best Local Similarity   20.3%; Pred. No. 2.2e-05;
Matches   75; Conservative   72; Mismatches 143; Indels 79; Gaps 11;

```
Qy   61 KLFPDLAQEEENVLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVS 120
           |:|:|| |||||  |  :||||
Db   27 kdnldvkerkvnvlqk----kienlqeglrdkekqmsslkervkslqadttntdtaitt 81

Qy  121 LQQALGKRAEMLCSTLKKQMKYLEQQQDETKQAQEEAGRLRSKMKTMEQIELLLQSQLPEV 180
           |::||  ||
Db   82 leealaekertlerlk-----eqrdrderekqeeidnykkdlkdlkekvslqgdlsek 135

Qy  181 EEMIRDMGVGQS-----------AVEQLAVYCV----SLKKEYENLKEARKAS 218
           |:|  |:| :||                      :||
Db  136 easlldlkehasslassglkdsrlktlelalegkkeeclkmesqlkaheaalear-as 194

Qy  219 GEVADK--LRKDLFSSRSRSKLQTYVSELDQAKLELKSAQKDLQSADKEIMSL------- 267
           |::|:  ||:|| ||    ::  ||  |   :||
Db  195 pemsdriqhlereitrykdesskaqaevdrlleikevenekndkdkkiaeelsltrsqv 254

Qy  268 ------------KKKLTMLQETL----NLPPVASETVDRLVLESPAPVEVNLKL 305
              ||  | :||   | |  || |:
Db  255 kdqnkkvanlkhkeqvekkksaqmleearrredilndssqqlqdslrkkddrieel---- 310

Qy  306 RRPSFRDDIDLNATFDV---DTPPARPSSSQHGYYEKLCLEKSHSPIQDVPKKICKGPR- 361
           ||  | |:|||
Db  311 -eealresvqitaeremvlaqeesartnaekqveelmamekvkqelesmkaklsstcqs 369

Qy  362 --KESQLS 367
             ||:|
Db  370 laekethlt 378
```

```
RESULT 15

ABB61144
ID   ABB61144 standard; Protein; 1690 AA.
XX
AC   ABB61144;
XX
DT   26-MAR-2002  (first entry)
XX
DE   Drosophila melanogaster polypeptide SEQ ID NO 10224.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical.
XX
OS   Drosophila melanogaster.
XX
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US09231.
XX
PR   23-MAR-2000; 2000US-191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PA   (PEKE ) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL05247.
XX
PS   Disclosure; SEQ ID NO 10224; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL01840-ABL16175), expressed DNA
CC   sequences (ABL16176-ABL30511) and the encoded proteins
```

```
CC   (ABS77737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence   1690 AA;

Query Match       7.1%;  Score 169;  DB 22;  Length 1690;
Best Local Similarity  20.7%;  Pred. No. 0.00014;
Matches   83;  Conservative  84;  Mismatches 158;  Indels  76;  Gaps 13;

Qy   50 RIQVGKRTIINKLLFFDLAQEEENVLDREFLKNE--LDNVRAQLSQKDKEKRDSQVIIDTL 107
           :|| |: :||| ||  |||||| ||| |:|:|| |:|||||||||||||||||||||||
Db  724 qiqlekesleqql--alkqneledfcqkkqssesevhlqelkaqntqkdfelvesgeslkkl 781

Qy  108 RDTLEERNATVVSLQQALGKRAEMLCSTLKKQMK·YLEQQQDETKQAQEEAGRLRSKMKTM 166
           |:|||||||||||||||||||||||||||||||  ::|
Db  782 qqqleqktlgheklqaal-----eelkeketliikekeqelqqlqsksaesesalkvv 834

Qy  167 E-QIELLLQSQLPEVEEMIRDMGVGQSQAVEQLAVYCVSLKKEYE--------------- 209
           | :||| |
Db  835 qvqleqlqqqaaasgeegsktvaklhdeisqlksqaeetqselkstqsnleakskqleaa 894

Qy  210 --NLKEARKASGEVAD---KLRKDLFSSRSRSKLQTYVSELDQAKLELKSAQKDLQSADKEI 264
           :|:|| |:: ||| :||: | || |||
Db  895 ngsleeeaaksghlleqitklksevgetqaalsschtdvesktkqleaannalekvnkey 954

Qy  265 MSLKKKLTMLQETLNLPPVASETVDRLVLESPAPVEVN--LKLRRPSFRDDI-----DLN 317
           || | |:||: |:|:
Db  955 aesraeasdlqdkv----keitdtlhaelqaerssssalhtklskfsdeiatqhkelt 1008

Qy  318 ATFDV------------------------DTPPARPSSSQHGYYEKLCLEKSHSPIQDVPKKIC 357
           || ||
Db 1009 skadawsqemlqkekelqelrqqlqdsqdsqtklkaegerkeksfees---iknlqeevt 1065

Qy  358 KGPRKESQLSLGGQSCAGEPDEELVGAFPIFVRNAILGQKQ 398
           |  ::| | | |
Db 1066 kaktenleistqtqttlkdigerle------itnaelqhke 1100
```

```
RESULT 16

ABB61173
ID   ABB61173 standard; Protein; 1690 AA.
XX
AC   ABB61173;
XX
DT   26-MAR-2002  (first entry)
XX
DE   Drosophila melanogaster polypeptide SEQ ID NO 10311.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical.
XX
OS   Drosophila melanogaster.
XX
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US09231.
XX
PR   23-MAR-2000; 2000US-191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PA   (PEKE ) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL05276.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
```

PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PS   Disclosure; SEQ ID NO 10311; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL01840-ABL16175), expressed DNA
CC   sequences (ABL16176-ABL30511), and the encoded proteins
CC   (ABB57737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence   1690 AA;

Query Match   7.1%;   Score 169;   DB 22;   Length 1690;
Best Local Similarity 20.7%;   Pred. No. 0.00014;
Matches   83; Conservative   84; Mismatches 158; Indels   76; Gaps   13;

```
Qy    50 RIQVGKRTIINKLFFDLAQEEENVLDREFLKNE--LDNVRAQLSQKDKEKRDSQVIIDTL 107
            :||:|  | :     | | |  : ||:||| ::: ||| :::|| |||  ::||||||||:
Db   724 qlqlekesleeql-alkqneledfqkkqsesevhlqeikaqntqkdfelvesgeslkl 781

Qy   108 RDTLEERNATVVSLQQALGKAEMLCSTLKKQMK-YLEQQODETKQAOEAGRLRSKMKTM 166
            ||:|       |:| |   :||||:||||||||  |:|||  |   | | |  :||||||
Db   782 qqqleqktlgheklqaal------eelkkeketiikekeqelqglqsksaessalkvv 834

Qy   167 E-QIELLLQSQLPEVEEMIRDMGVGQSAVEQLAVYCVSLKKEYE------------ 209
            :  | | | | |:||| | | |    |:| |  | | |  :|: |
Db   835 qvqleqlqqqaaasgeegsktvaklhdelsqlksqaeetqselkstqsnleakskqlaa 894

Qy   210 --NLKEARKASGEVAD----KLRKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADKEI 264
            :  ||:|| ||  |:     :||::| :|| |:||| ||||||||:|:|| |||| |:|:
Db   895 ngsleeeakksghlleqitklksevgetqaalsschtdveskktkqleaanaalekvnkey 954

Qy   265 MSLKKKLTMLQETLNLPPVASETVDRLVLESPAPVEVN--LKLRRPSFRDDI----DLN 317
            :| |: | |:|:|   |:    |:| |  ||  |::::  :|:: | : |::    |||
Db   955 aesraeasdlqdkv-----keitdtlhaelqaerssssaihtklskfsdelatghkelt 1008

Qy   318 ATFDV-----------------DTPPARPSSSQHGYYEKLCLEKSHSPIQDVPKKIC 357
            ||  |                 ::| | :: |  |  |  |  | | |:: |  :|:
Db  1009 skadawsgemlqkekelqelrqglqdsqdsqtklkaegerkeksfees---iknlqeevt 1065

Qy   358 KGPRKESQLSLGGQSCAGEPDEELVGAPPIFVRNAILGQKQ 398
            :| | |  ||| |:   |  |:    :|  |  |:  |||:
Db  1066 kaktenlelstgtqttikdlqerle-----itnaelqhke 1100
```

RESULT 17
ID   AAW19540
AAW19540 standard; protein; 1325 AA.
XX
AC   AAW19540;
XX
DT   16-SEP-1997 (first entry)
XX
DE   Male-enhanced antigen-2.
XX
KW   Mouse; MEA-2; detecting mutation.
XX
OS   Mus musculus domesticus.
XX
FH   Key   Location/Qualifiers
FT   Misc-difference 305..320
FT   /note= "Not shown in the specification"
XX
PN   JP09121869-A.

PD   13-MAY-1997.
XX
PF   07-NOV-1995;   95JP-0311638.
XX
PR   07-NOV-1995;   95JP-0311638.
XX
PA   (ITOH-) ITO HAM KK.
XX
DR   WPI; 1997-314229/29.
DR   N-PSDB; AAT74034.
XX
PT   Male-enhanced antigen Mea-2 gene - especially from mouse, useful for
PT   detecting mutation(s)
XX
CC   Claim 8; Page 9-10; 13pp; Japanese.
XX
CC   The present sequence represents male-enhanced antigen-2 (MEA-2), which
CC   has been derived from a domestic mouse. The polynucleotide encoding
CC   the protein can be used for the detection of mutations affecting the
CC   MEA-2 gene.
XX
SQ   Sequence   1325 AA;

Query Match   7.0%;   Score 168;   DB 18;   Length 1325;
Best Local Similarity 20.6%;   Pred. No. 0.00012;
Matches   77; Conservative   65; Mismatches 130; Indels 102; Gaps   13;

```
Qy    68 QEEENVLDREFLKNELD-------NVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVSL 121
            | ||:    || ||::|       ||| :::|| |||  ::||||||| |      |:|
Db   966 rehnslletalakreadlvqlnlqvqavlqrkeeedrqmkqlvqvslekekmevnsl 1025

Qy   122 QQALGKA------------------------EMLCSTLKKQMKYLEQQ----QDET 149
            :: | |                          :||||:||||||||||    |:||
Db  1026 keqmaaarieaghnrrhfkaatlelsevkkelqakehlvqtlqaevdelqiqgdqkhsqel 1085

Qy   150 KQAQEEAGRLRSKMKTMEQIELLLQOSQLPEVEEMIRDMGVGQSAVEQLAVYCVSLKKEYE 209
            ||| | | | |  :|||:|  | | | | |:||| | |:|    |:| | |||||||||||
Db  1086 aqfqtelaeartqlq-----llqkkl--deqmsqqptqsqemedlkweldqkereiq 1135

Qy   210 NLKEARKASGEVADKLRKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKK 269
            ||||||||||||||||||||||||||||||||||||||||:|:|||||| | |:|:|
Db  1136 slkqqldlteqgq--kkelegtqtlqtlkselemvqedlsetqkdkfmlqakvselkn 1192

Qy   270 KL-TMLQET-----------------------------LNLP--PVASETVDRLVLESPA 297
            || ||||||                             |||    |||||||||||||||
Db  1193 nmktllqqnqqlkidlrrqaakkkepkqesnsspatpikipdcpvpaslleellrpppa 1252

Qy   298 ----PVEVNLKLRRPSFRDDID-LNATFDVDTPARPSSSQHGYYEKLCLEKSHSPIQDV 352
                |:|| :|:|||||||:|: | |||| ||:|||||||||||||||||||||||||||
Db  1253 vskeplk-nlnnclqqlkqemdslqrqmeehtivheslsswaqveaapaehah----- 1305

Qy   353 PKKICKGPRKESQL 366
            |  :|:||||||||
Db  1306 ------prgdtkl 1312
```

RESULT 18
ID   AAW94391
AAW94391 standard; protein; 1325 AA.
XX
AC   AAW94391;
XX
DT   14-APR-1999 (first entry)
XX
DE   Mouse male enhanced antigen 2.
XX
KW   Mouse; male enhanced antigen 2; Mea 2; Mus musculus domesticus;
KW   spermatogenesis; regulation; contraceptive; sterile; inhibition.
XX
OS   Mus sp.
XX
PN   JP1018622-A.

```
XX
PD   26-JAN-1999.
XX
PF   04-JUL-1997;   97JP-0179490.
XX
PR   04-JUL-1997;   97JP-0179490.
XX
PA   (ITOH-) ITO HAM KK.
XX
DR   WPI; 1999-160962/14.
DR   N-PSDB; AAX04132.
XX
PT   Regulation of spermatogenesis using Mea-2 gene information - using
PT   anti-sense oligo- or poly:nucleotide(s), used for production of
PT   contraceptives
XX
PS   Claim 4; Page 8-12; 27pp; Japanese.
XX
CC   The present sequence represents mouse male enhanced antigen 2 (Mea-2).
CC   The present invention describes the regulation of spermatogenesis by
CC   using Mea-2 information. A non-human living organism can have its
CC   spermatogenesis inhibited by breakage of the whole or part of the Mea-2
CC   gene. Also described are: (1) the creation of the spermatogenesis-
CC   inhibited organism: (2) a drug composition containing an oligonucleotide
CC   or polynucleotide containing base sequences that pair with at least part
CC   of the Mea-2 gene and are able to inhibit the expression of Mea-2 gene;
CC   and (3) the creation of an aimed gene-possessing organism using the
CC   spermatogenesis inhibited organism. The organism is useful for producing
CC   contraceptive drugs.
XX
SQ   Sequence  1325 AA;

Query Match     7.0%;  Score 168;  DB 20;  Length 1325;
Best Local Similarity  20.6%;  Pred. No. 0.00012;
Matches   77;  Conservative   65;  Mismatches  130;  Indels  102;  Gaps  13;

Qy   68  QEEENVLDREFLKNELD------NVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVSL 121
              :|     |  ||| :|:   |:|| || ::|::| | |||  ||||||||||||| |||
Db  966  rehnsiletalakreadlvglnlqvqavlqirkeeedrqmkqlvqalqvslekekmevnsl 1025

Qy  122  QQALGKA-------------------EMLCSTLKKQMKYLEQQ----QDET 149
              ||                       |:|||||||||||||||    ||||
Db 1026  kegmaaarieaghnrrihfkaatlelsevkkelqakehlvqtlqaevdelqiqdgkhsqei 1085

Qy  150  KQAQEEAGRLRSKMKTMEQIELLLQSOLPEVEEMIRDMGVGQSAVEQLAVYCVSLKKEYE 209
              |:|:|      |||| ::| |||||||||||||||||| :|| || |||||:|| |||
Db 1086  aqfqtelaeartiq------llqkkl---deqmsqptgsqemedlkweldqkereiq 1135

Qy  210  NLKEARKASGEVADKLKRDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKK 269
              |||| |  ::| |||| ||:| |: | |||  :||| | |  |||  |:: | |||||
Db 1136  slkqilqlteqg---kkelegtqqtlqtikselemvqedlsetqkdkfmlqakvselkn 1192

Qy  270  KL-TMLQET----------------------------LNLP--PVASETVDRVLESPA 297
              || :|||||                            |||   ||| ::| ||||:||
Db 1193  nmktllgqnqqlkldlrrgaakkkepkqesnssspatpikipdcpvpaslleellrppa 1252

Qy  298  ----PVEVNLKLRRPSFRDDID-INATFDVDPPARPSSSSOHGYYEKLCLEKSHSPIQDV 352
            :  |::||| |||:  | |::|  |:|| |:|        ::  :: |||  |: | |:
Db 1253  vskeplk-nlnnclqqlkqemdslqrqmeehtitvhes1sswaqveaapaehah------ 1305

Qy  353  PKKICKGPRKESOL 366
              ||:|:|||:|:||
Db 1306  ------prgdtkl 1312


RESULT  19
AAU01768
ID   AAU01768 standard; Protein; 934 AA.
XX
AC   AAU01768;
XX
DT   18-JUL-2001 (first entry)
XX
DE   Human secreted protein #47.
XX
KW   Human; secreted protein; immunogen; antibody; diagnosis;
KW   rheumatoid arthritis; hyperproliferative disorder; neoplasm;
KW   cardiovascular disorder; cerebrovascular disorder; cerebral ischaemia;
KW   angiogenesis; Alzheimer's disease; bacterial infection; viral infection;
KW   fungal infection; corneal infection; wound healing; cell culture;
KW   epithelial cell proliferation; skin ageing; transplantation;
KW   tissue regeneration; chemotaxis; food additive.
XX
OS   Homo sapiens.
XX
PN   WO200123546-A1.
XX
PD   05-APR-2001.
XX
PF   26-SEP-2000; 2000WO-US26323.
XX
PR   27-SEP-1999;  99US-0155805.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA,  Ruben S,  Komatsoulis GA;
XX
DR   WPI; 2001-266150/27.
DR   N-PSDB; AAS02399.
XX
PT   Nucleic acids encoding 37 human secreted polypeptides, useful for
PT   preventing, diagnosing and/or treating e.g. cancers, Parkinson's
PT   disease and diabetic retinopathy -
XX
PS   Disclosure; Page 460-463; 494pp; English.
XX
CC   The sequence represents a human secreted protein of the invention. The
CC   polynucleotides, polypeptides and antibodies raised against them are used
CC   to prevent, treat or ameliorate a medical condition in e.g. humans, mice,
CC   rabbits, goats, horses, cats, dogs, chickens or sheep. The
CC   polynucleotides and antibodies are also used in diagnosing a pathological
CC   condition or susceptibility to a pathological condition. The antibodies
CC   can also be used in alleviating symptoms associated with the disorders
CC   and in diagnostic immunoassays e.g. radioimmunoassays or enzyme linked
CC   immunosorbent assays (ELISA). Disorders which are diagnosed or treated
CC   include autoimmune diseases e.g. rheumatoid arthritis, hyperproliferative
CC   disorders e.g. neoplasms of the breast or liver, cardiovascular disorders
CC   e.g. cardiac arrest, cerebrovascular disorders e.g. cerebral ischaemia,
CC   angiogenesis, nervous system disorders e.g. Alzheimer's disease
CC   infections caused by bacteria, viruses and fungi and ocular disorders
CC   e.g. corneal infection. The polypeptides can also be used to aid wound
CC   healing and epithelial cell proliferation, to prevent skin aging due to
CC   sunburn, to maintain organs before transplantation, for supporting cell
CC   culture of primary tissues, to regenerate tissues and in chemotaxis. The
CC   polypeptides can also be used as a food additive or preservative to
CC   increase or decrease storage capabilities.
XX
SQ   Sequence  934 AA;

Query Match     7.0%;  Score 167.5;  DB 22;  Length 934;
Best Local Similarity  22.8%;  Pred. No. 7.9e-05;
Matches   91;  Conservative   82;  Mismatches  139;  Indels  87;  Gaps  21;

Qy   24  HCGHTF-HLQCLIQSFETAPSRTCPQCRIQVGKRTIINKLFFDLAQEEENVLDREF-LKN 81
              | |||   |   |:  | | :|  :    :     |  ||    |:||||||||| |||
Db  433  hlnhslshkeqllqef----rellqyrdnsdktleaneml--leklrqrihdkavaler 485

Qy   82  ELDNVRAQLSQKDKEKRDSQVII----------DTLRDTLEERNATVVSLQQALG----KAEM 130
              ||| ||||||||||||||||||          ||||||||||||||||||| |    ||||
Db  486  aidekfsaleekekelrqlrlaverdhderlrvlssneatmqsmesllrakqleveq 545

Qy  131  LCSTLKKQMKYLEQQDETK----QAQEEAGRLRSKMKTMEQIELLLQSQLPEVEE---- 182
              |||||||||||||:|:||    |||||||||||||||||||||||||||||||||
Db  546  l-sttcqnlqwlkeem-etkfsrwqkeqes-------------liqqlqtslhdrnkeyedlsat 595
```

```
Qy   183 MIRDMGVGQSAV-EQLAVYCVSLKKEYENLKEARKASGEVAVADKLRKDLFSSRSK------ 235
         :||  |||||  |::|   |   :|:|
Db   596 llcklgpgqseieel---cqrlqrk--------------ermlqdlisdrnkqvlehe 637

Qy   236 -----LQTVYSELDQAKLELKSAQKDLQSADKREIMSLKKKLTMLQETLNLPPVASEIVD 289
Db   638 meiggllqsvstreqesqaaaekivqalmernselqalrqylggrdslmsqaplsnqqae 697

Qy   290 -----RLVLESPAPVEVNLKLRRPSFRDDIDLNATFDVDTPPARPSSSQHGYEKLC-LE 343
         ||   |:|||   ||  |  |:|  |  ||  |  |
Db   698 vtptgrlgkqtdgg------smqlpsrddsltakedvslp-----rstlgdltvagle 747

Qy   344 KSHSPIQDVPKKICKGPRKESQLSLGG--QSCAGPDEEL 381
         |:|||   |  :||:|  |||  ||||     ||||
Db   748 kelsnakeelelmakker-esqmelsalqsmmavqeeel 785
```

```
RESULT 20
AAE02246
ID   AAE02246 standard; Protein; 1017 AA.
XX
AC   AAE02246;
XX
DT   31-JUL-2001 (first entry)
XX
DE   Domestic mite Bt11 allergen polymorphic variant.
XX
KW   Mite; immunogenic protein; Bt allergen; therapy; atopic dermatitis;
KW   immediate hypersensitivity; systemic anaphylaxis; allergic rhinitis;
KW   asthma; antiallergic; antiinflammatory; immunosuppressive.
XX
OS   Blomia tropicalis.
XX
FH   Key             Location/Qualifiers
FH
FT   Misc-difference 41
FT                   /note= "Encoded by TAG"
FT   Misc-difference 42
FT                   /note= "Encoded by TAG"
FT   Misc-difference 56
FT                   /note= "Encoded by TAG"
FT   Misc-difference 71
FT                   /note= "Encoded by TGA"
FT   Misc-difference 76
FT                   /note= "Encoded by TAA"
FT   Misc-difference 76
FT                   /note= "Encoded by TAG"
FT   Misc-difference 80
FT                   /note= "Encoded by TAG"
FT   Misc-difference 86
FT                   /note= "Encoded by TGA"
FT   Misc-difference 965
FT                   /note= "Encoded by TAA"
FT   Misc-difference 998
FT                   /note= "Encoded by TAA"

PN   WO200130817-A1.
XX
PD   03-MAY-2001.
XX
PF   10-OCT-2000; 2000WO-AU01227.
XX
PR   26-OCT-1999;       99SG-0005313.
PR   18-JUL-2000;    2000AU-0008842.
PR   18-JUL-2000;    2000AU-0008844.
PR   18-JUL-2000;    2000AU-0008845.
XX
PA   (UYSI-) UNIV SINGAPORE NAT.
XX
PI   Chua KY, Cheong N, Lee BW;
XX
DR   WPI; 2001-308609/32.
DR   N-PSDB; AAD06245.
XX
PT   Novel immunogenic protein derived from house mite, Blomia tropicalis
```

```
PT   useful for treating and diagnosing conditions involving induction of
PT   immuneresponse to mite, such as allergic asthma, atopic dermatitis,
PT   rhinitis '
XX
PS   Claim 6; Fig 7; 230pp; English.
XX
CC   The present invention relates to immunogenic proteins, referred as Bt
CC   allergen, is derived from domestic mite, Blomia tropicalis. The specific
CC   Bt allergens of the invention includes Bt11, Bt10, Bt5 and BtA2. The
CC   immunogenic protein is useful for preventing, reducing or ameliorating
CC   Blomia tropicalis hypersensitivity condition such as atopic dermatitis,
CC   immediate hypersensitivity; systemic anaphylaxis, allergic rhinitis or
CC   asthma and for modulating an immune response directed to Bt allergen in
CC   a subject. The Bt allergens are also useful for detecting antibody
CC   directed to all or a part of Bt allergen in a biological sample from a
CC   subject. Antibodies to Bt allergens are also used as therapeutic or
CC   diagnostic agents, to screen Bt immunoassays and as antagonists to
CC   inhibit Bt activity under circumstances where temporary hypersensitivity
CC   inhibition is required. The present sequence is a protein encoded
CC   by Bt11 polymorphic variant.
XX
SQ   Sequence 1017 AA;
```

```
Query Match             7.0%;    Score 167.5;   DB 22;   Length 1017;
Best Local Similarity   22.8%;   Pred. No. 8.8e-05;
Matches    64;  Conservative   60;  Mismatches   74;   Indels   83;  Gaps   11;

Qy    66 LAQEENVLD--REFLKNELDN--VRAQLSQ------------KDKEKRDS--------QV 102
         ||||  :  :||   ||  | : ||  |    :|:|
Db   293 lsqenselikevhey-kisldnanhlkqqlaqqledtrhrledeerkrsslenhahtlev 351

Qy   103 IIDTLRDTLEERNATVVSLQQALGKA---------------------------- 128
         :|||  |  | ||  |  ||:|
Db   352 eleslkvqleeesearlelerqltkangdaaswkskyeaelqahvdeveelrrkmaqkis 411

Qy   129 ---EML------CSTLKKQMKYLEQQQD---ETKQAQEAGRLRSKMKTMEQIELLLQS 175
         ||   |:|||  | :|| | | :|  :||:|  |:| ::|:|
Db   412 eyeeqlealnkcsalekqkarlqseaaevljmdiekatahaqalekrvsqiekinldlks 471

Qy   176 OLPEVEEMIRDMGVGQSAVEQLAVYCVSLKK---EYENLKEARKASGEVAVADKLRKDLFSS 232
         :|  | |  ||||||||||||||||||||  |    |||:||||||||||||||||||:
Db   472 kleevsmli-----eqtqkdlrvkiadlqklqheyekirdqkealarenkkladdlaea 525

Qy   233 RSKLQTVYSELDQAKLELK---SAQKDLQSADKEIMSLKKK 270
         :||| || : :||:|  |    | ||::|| :|:||:||:
Db   526 ksqlndahrrihegeielkrlenereelaaaykeaetlrkq 566
```

```
RESULT 21
AAY71159
ID   AAY71159 standard; Protein; 2517 AA.
XX
AC   AAY71159;
XX
DT   08-SEP-2000 (first entry)
XX
DE   Human phosphodiesterase interacting protein, myomegalin.
XX
KW   Human; phosphodiesterase interacting protein; myomegalin; PDE; cAMP-PDE;
KW   cyclic adenosine monophosphate phosphodiesterase; antiasthmatic; asthma;
KW   antiinflammatory; antipsoriatic; antibacterial; shock;
KW   analgesic; immunosuppressive; anticancer; vasotropic; antiarthritic;
KW   antidiabetic; urticaria; antiallergic; antiulcer; antiarteriosclerotic; diagnosis;
KW   antirheumatic; treatment; inflammatory disease; psoriasis; arthritis;
KW   atherosclerosis; Crohn's disease; cystic fibrosis; chronic bronchitis;
KW   eosinophilic granuloma; proliferative skin disease; ulcerative colitis;
KW   reperfusion injury; atopic dermatitis; diabetes insipidus;
KW   conjunctivitis; adult respiratory distress syndrome; allergic rhinitis;
KW   arterial restenosis; ankylosing spondylitis; transplant rejection;
KW   graft versus host disease; chromosome 1p35.1-p36.
XX
OS   Homo sapiens.
```

XX
XX
XX
XX
PN   WO020027861-A1.
XX
PD   18-MAY-2000.
XX
PF   12-NOV-1999;   99WO-US26860.
PR   12-NOV-1998;   98US-0108255.
XX
PA   (STRD) UNIV LELAND STANFORD JUNIOR.
XX
PI   Conti M, Pahlke G;
XX
DR   WPI; 2000-376479/32.
DR   N-PSDB; AAD00769.
XX
PS   Disclosure; Fig 5; 77pp; English.
XX
CC   The present sequence is a phosphodiesterase (PDE)
CC   interacting protein, myomegalin obtained from two human clones
CC   KIAA0454 and KIAA0477. The myomegalin gene is located on human
CC   chromosome 1p35.1-p36. The protein modulates the functions and properties
CC   of PDEs, specifically cAMP-PDEs, and also targets them to specific
CC   subcellular compartments. The present sequence
CC   can be used in the diagnosis and treatment of disease conditions
CC   associated with PDE activity. The diseases include asthma, cystic
CC   fibrosis, inflammatory airway disease, chronic bronchitis, eosinophilic
CC   granuloma, psoriasis, proliferative skin diseases, endotoxic shock,
CC   septic shock, ulcerative colitis, Crohn's disease, reperfusion injury,
CC   inflammatory arthritis, atopic dermatitis, urticaria, adult respiratory
CC   distress syndrome, diabetes insipidus, allergic rhinitis, allergic
CC   conjunctivitis, vernal conjunctivitis, arterial restenosis,
CC   atherosclerosis, inflammatory diseases associated with irritation and
CC   pain, rheumatoid arthritis, ankylosing spondylitis, transplant
CC   rejection and graft versus host disease, disease conditions associated
CC   with hypersecretion of gastric acid, and disease conditions in which
CC   cytokines are mediators.
XX
SQ   Sequence   2517 AA;

Query Match   7.0%; Score 167.5; DB 21; Length 2517;
Best Local Similarity   22.8%; Pred. No. 0.0031;
Matches   91; Conservative   82; Mismatches 139; Indels   87; Gaps   21;

Qy   24 HCGHTF-HLQCLIQSFETAPSRTCPQCRIQVGKRTIINKLFPDLAQEEENVLDREF-LKN   81
Db   601 hlnhslshkeqllqef-----rellqyrdnsdktleanenl--leklrqrihdkavaler 653

Qy   82 ELDNVRAQLSQKDKEKRDSQVII---------DTLRDTLEERNATVVSLQQALG----KAEM 130
Db   654 aidekfsaleekekelrqlrlavrerdhdlerldvlsneatmgsmesllrakqleveq   713

Qy   131 LCSTLKKQMKYLEQQQQDERK----QAQEEAGRLRSKMKQTMEQIELLLQSOLPEVEE---- 182
Db   714 l-sttcqnlqwlkeem-etkfsrwqkeges------iigqlqtslhdrnkeyedlsat   763

Qy   183 MIRDMGVGQSAV-EQLAVCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSK------ 235
Db   764 llckigpggseiaeel--cgrlqrk--------ermlqdllsdrnkqylehe   805

Qy   236 ---------LQTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLNLPPVASETVD 289
Db   806 meigqllgsvstreqesqaaaekivqalmernselqairqylggrdslmsqaplsnqqae   865

Qy   290 -----RLVLESPAPVEVNLKLRRPSFRDDIDLNATFDVDTPPARPSSSSQHGYYEKLC-LE 343
Db   866 vtptgrlgkqtdqg----smqipsrddstsltakedvsip----rstlgdldtvagle   915

Qy   344 KSHSPIQDVPKKICKGPRKESQLSLGG-QSCAGEPDEEL 381
Db   916 kelsnakeelelmakker-esqmelsalgsmmavqeeel 953

RESULT 22
ABB71396
ID   ABB71396 standard; Protein; 482 AA.
XX
AC   ABB71396;
XX
DT   26-MAR-2002 (first entry)
XX
PN   WO2002171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001;   2001WO-US09231.
PR   23-MAR-2000;   2000US-191637P.
PR   11-JUL-2000;   2000US-0614150.
XX
PA   (PEKE) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL15499.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PS   Disclosure; SEQ ID NO 40980; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL6176-ABL30511), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins
CC   sequences (ABB57737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence   482 AA;

Query Match   7.0%; Score 167; DB 22; Length 482;
Best Local Similarity   20.8%; Pred. No. 3.4e-05;
Matches   74; Conservative   59; Mismatches 101; Indels 122; Gaps   14;

Qy   7 CTICSDFDHSRD-VAAIHCGHTFIHLQCLIQSFETAPSRTCPQCR---------- 50
Db   175 cpvclermdesvdgvitlcnhafhasclmkwgds----tcpvcrhvqtpglvedsvcme 230

Qy   51 ----------------IQVGKRTIINKLFPDLAQEEEN 72
Db   231 cegtdslwiclicqhvgcqryqgghaaahfratnhtfamqlgtssv----wdya--gdn 283

Qy   73 VLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVSLQQALGKRAEMLC 132
Db   284 fvhrlf-qnksdg-kivasqtekdereeki------dsmq------meftylit 323

```
Qy  133 STLKKQMKYLEQQQDETKQAQEE------AGRLRSRMKTMEQIELLLQSQLPEVEMIRDMG 188
            |||||||||  |  ||||    :|  :       ||   | ::|::|||  ||| | :||
Db  324 sqidtqrkyyeermerleqewqnhkatandaktevselqiqqnngkekvnle------    376

Qy  189 VGQSAVEQLAVYCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKLQTVYSELDQAKL 248
           :|  |  |   ||| :||: ||| |: :      ||   |  | :| | :: |::| :
Db  377 ----rklaqhtaklkdvqklqineer--------elskalqsnqsswhgkyklleqqyn   422

Qy  249 ELKSAQKDLQSADKRIMSLKKKLTML--------QETLNLPPVASETVDRLVLESPAP   298
           :| :|:| | ::  | |  ||:    :|::       |   |  |  | | :: |
Db  423 efk-------qthdaevtelkeqlrdimfldnqqklanteiaggtvtgiaekepdp     472
```

RESULT 23
ABB71125
ID   ABB71125 standard; Protein; 2067 AA.
AC   ABB71125;
DT   26-MAR-2002 (first entry)
DE   Drosophila melanogaster polypeptide SEQ ID NO 40167.
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical.
OS   Drosophila melanogaster.
PN   WO20017104 2-A2.
PD   27-SEP-2001.
PF   23-MAR-2001; 2001WO-US09231.
PR   23-MAR-2000; 2000US-191637P.
PR   11-JUL-2000; 2000US-0614150.
PA   (PEKE) PE CORP NY.
PI   Venter JC, Adams M, Li PWD, Myers EW;
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL15228.
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
PS   Disclosure: SEQ ID NO 40167; 21pp + Sequence Listing; English.

CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL16176-ABL30511), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins
CC   (ABB5737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.

SQ   Sequence 2067 AA;

```
Qy   66 LAQEEENVLDREFLKNELDNVRAQLSQKDKEK------RDSQVIIDTLRDTLE-----  112
           |||||| :||| |||:|||:||||| :||::         :||:: | | ||:|
Db 1655 leqeenkviraql--elsqvrqeldrriqekeeefentrknhqraldsmqasleaakg  1711
```

Query Match   7.0%; Score 167; DB 22; Length 2067;
Best Local Similarity 20.5%; Pred. No. 0.00026;
Matches 93; Conservative 76; Mismatches 144; Indels 140; Gaps 15;

```
Qy  113 ------ERNATVVSLQQQAIGKAEMLCSTLKKQMKYLEQQQDETKQAQEEAGRLRSKM 163
              :| |  | || | :|| :||||||||||||||||||||||||  || |||||||
Db 1712 kaealrmkkkleadinelelaldhankanaeaqkniKryqqqlkdiqtaleeeqrardda 1771

Qy  164 KTMEQIEL------LLQSQLPEVEEMIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKA 217
           |: |        |||||||||||||||||||||||||||||||||||||||||||||
Db 1772 r--eqigiserranalqneleesrtlleqadrgrrqaeq-----eladaheqlnevsaq 1823

Qy  218 SGEVADKLRKDLFSSRSKLQTVYSELDQ------------------AKL-ELKSAQKD 256
           |||||||||||||||||||||||||||                 || : |||||||
Db 1824 nasisaakrk----leselqtlhsdldellneaknseekakkamvdaarladelraeqdh 1879

Qy  257 LQSADKEIMSLKKKLTMLQEFLNLPPV------------ASETVDRLVLE- 298
           | |||:| :| |:| ::|::|||||                 ||| ||
Db 1880 aqtqeklrkaleqqikelqvrideaeanalkggkkaiqkieqrvreleneldgeqrrhad 1939

Qy  299 VEVNL------KLRRPSFRDDIDLNATFDVDFPPARPSSSQHGYYEKLCLEKSHSPIQDVP 353
           |  |       ||:| |  | | :|     : ::|::| ::|| | ||  ::  :|:|
Db 1940 aqknirkseirvkelsfqseed---------------------------rknhermqdlv 1972

Qy  354 KKICKGPR------------KESQLSLGGQSCAGEPDEELVGAFPIFVRNAI 393
           :: | |             |||::| |  |  ||::  |||  |  |
Db 1973 dklqqkiktykrqieeaeeiaalnlakfrkaqgeleeaeeradlaeqaiskfrakgrags 2032

Qy  394 LGQKQPKRPRSESSSCSKDVVRTGFDGLGGRTKF 426
           :| ::| || :| |     | :| ||| |  ||
Db 2033 vgrgaspaprats-----vrpqfdglafppf 2059
```

RESULT 24
AAE02245
ID   AAE02245 standard; Protein; 875 AA.
AC   AAE02245;
DT   31-JUL-2001 (first entry)
DE   Domestic mite Bt11 allergen.
KW   Mite; immunogenic protein; Bt allergen; therapy; atopic dermatitis;
KW   immediate hypersensitivity; systemic anaphylaxis; allergic rhinitis;
KW   asthma; antiallergic; antiinflammatory; immunosuppressive.
OS   Blomia tropicalis.
PN   WO20013 0817-A1.
PD   03-MAY-2001.
PF   10-OCT-2000; 2000WO-AU01227.
PR   26-OCT-1999; 99SG-0005313.
PR   18-JUL-2000; 2000AU-0008842.
PR   18-JUL-2000; 2000AU-0008844.
PR   18-JUL-2000; 2000AU-0008845.
PA   (UYSI-) UNIV SINGAPORE NAT.
PI   Chua KY, Cheong N, Lee BW;
DR   WPI; 2001-308609/32.
DR   N-PSDB; AAD06237.
PT   Novel immunogenic protein derived from house mite, Blomia tropicalis
PT   useful for treating and diagnosing conditions involving induction of
PT   immuneresponse to mite, such as allergic asthma, atopic dermatitis,
PT   rhinitis -
PS   Disclosure: Page 162-166; 230pp; English.

CC   The present invention relates to immunogenic proteins, referred to as Bt
CC   allergens, derived from domestic mite (Blomia tropicalis). The specific
CC   Bt allergens of the invention includes Bt11, Bt10, Bt5 and BtA2. The

```
CC   immunogenic protein is useful for preventing, reducing or ameliorating
CC   Blomia tropicalis hypersensitivity condition such as atopic dermatitis,
CC   immediate hypersensitivity, systemic anaphylaxis, allergic rhinitis or
CC   asthma and for modulating an immune response directed to Bt allergen in
CC   a subject. The Bt allergens are also useful for detecting antibody
CC   directed to all or a part of Bt allergen in a biological sample from a
CC   subject. Antibodies to Bt allergens are also used as therapeutic or
CC   diagnostic agents, to screen Bt immunoassays and as antagonists to
CC   inhibit Bt activity under circumstances where temporary hypersensitivity
CC   inhibition is required. The present sequence is Bt1l allergen.
XX
SQ   Sequence   875 AA;

Query Match     7.0%;  Score 166.5;  DB 22;  Length 875;
Best Local Similarity   22.8%;   Pred. No. 8.7e-05;
Matches  64;  Conservative  60;  Mismatches  74;  Indels  83;  Gaps  11;

Qy    66 LAQEENVLD--REFLKNELDN--VRAQLSQ------------KDKEKRDS--------QV 102
         :|| | ||||    ||| |||   ||| |         :|:| |:          :|
Db   204 lsqenselikevhey-kisldnanhlkgqiaqqledtrhrledeerkrsslenhahtlev 262

Qy   103 IIDTLRDTLEERNATVVSLQQALGKA------------------------------128
         :||:|||
Db   263 eleslkvqleeesearlelerqltkangdaaswkskyeaelqahvdeveelrrkmaqkis 322

Qy   129 ---EML------CSTLKKQMKYLEQQQD----ETKQAQEEAGRLRSKMKTMEQIELLLQS 175
Db   323 eygeqlealinkcsalekqkarlgseveviimdlekatahaqalekrvsqlekinldlks 382

Qy   176 QLPEVEEMIRDMGVGQSAVEQLAVYCVSLKK---EYENLKEARKASGEVADKLRKDLFSS 232
Db   383 kleevsmll----eqtqkdlrvkiadlqklqheyekirdqkealarenkkladdlaea 436

Qy   233 RSKLQTVYSELDQAKLELK---SAQKDLQSADKEIMSLKKK 270
Db   437 ksqlndahrriheqeielkrlenereelaaaykeaaetlrkq 477


RESULT 25
AAE02242
ID   AAE02242 standard; Protein; 878 AA.
XX
AC   AAE02242;
XX
DT   31-JUL-2001  (first entry)
XX
DE   Domestic mite Bt1l allergen #7.
XX
KW   Mite; immunogenic protein; Bt allergen; therapy; atopic dermatitis;
KW   immediate hypersensitivity; systemic anaphylaxis; allergic rhinitis;
KW   asthma; antiallergic; antiinflammatory; immunosuppressive.
XX
OS   Blomia tropicalis.
XX
XX
PN   WO200130817-A1.
XX
PD   03-MAY-2001.
XX
PF   10-OCT-2000; 2000WO-AU01227.
XX
PR   26-OCT-1999;   99SG-0005313.
PR   18-JUL-2000;   2000AU-0008842.
PR   18-JUL-2000;   2000AU-0008844.
PR   18-JUL-2000;   2000AU-0008845.
XX
PA   (UYSI-) UNIV SINGAPORE NAT.
XX
PI   Chua KY,  Cheong N,  Lee BW;
XX
DR   WPI; 2001-308609/32.
DR   N-PSDB; AAD06236.
XX
```

```
PT   Novel immunogenic protein derived from house mite, Blomia tropicalis
PT   useful for treating and diagnosing conditions involving induction of
PT   immuneresponse to mite, such as allergic asthma, atopic dermatitis or
PT   rhinitis.
XX
     Claim 4; Fig 3; 230pp; English.
XX
DE   Human protein SEQ ID NO 1516.

CC   The present invention relates to immunogenic proteins, referred as Bt
CC   allergen, is derived from domestic mite, Blomia tropicalis. The specific
CC   Bt allergens of the invention includes Bt1l, Bt10, Bt5 and BtA2. The
CC   immunogenic protein is useful for preventing, reducing or ameliorating
CC   Blomia tropicalis hypersensitivity condition such as atopic dermatitis,
CC   immediate hypersensitivity, systemic anaphylaxis, allergic rhinitis or
CC   asthma and for modulating an immune response directed to Bt allergen in
CC   a subject. The Bt allergens are also useful for detecting antibody
CC   directed to all or a part of Bt allergen in a biological sample from a
CC   subject. Antibodies to Bt allergens are also used as therapeutic or
CC   diagnostic agents, to screen Bt immunoassays and as antagonists to
CC   inhibit Bt activity under circumstances where temporary hypersensitivity
CC   inhibition is required. The present sequence is Bt1l allergen.
XX
SQ   Sequence   878 AA;

Query Match     7.0%;  Score 166.5;  DB 22;  Length 878;
Best Local Similarity   22.8%;   Pred. No. 8.7e-05;
Matches  64;  Conservative  60;  Mismatches  74;  Indels  83;  Gaps  11;

Qy    66 LAQEENVLD--REFLKNELDN--VRAQLSQ------------KDKEKRDS--------QV 102
         :|| | ||||    ||| |||   ||| |         :|:| |:          :|
Db   207 lsqenselikevhey-kisldnanhlkgqiaqqledtrhrledeerkrsslenhahtlev 265

Qy   103 IIDTLRDTLEERNATVVSLQQALGKA------------------------------128
         :||:|||
Db   266 eleslkvqleeesearlelerqltkangdaaswkskyeaelqahvdeveelrrkmaqkis 325

Qy   129 ---EML------CSTLKKQMKYLEQQQD----ETKQAQEEAGRLRSKMKTMEQIELLLQS 175
Db   326 eygeqlealinkcsalekqkarlgseveviimdlekatahaqalekrvsqlekinldlks 385

Qy   176 QLPEVEEMIRDMGVGQSAVEQLAVYCVSLKK---EYENLKEARKASGEVADKLRKDLFSS 232
Db   386 kleevsmll----eqtqkdlrvkiadlqklqheyekirdqkealarenkkladdlaea 439

Qy   233 RSKLQTVYSELDQAKLELK---SAQKDLQSADKEIMSLKKK 270
Db   440 ksqlndahrriheqeielkrlenereelaaaykeaaetlrkq 480


RESULT 26
AAM78854
ID   AAM78854 standard; Protein; 1960 AA.
XX
AC   AAM78854;
XX
DT   06-NOV-2001  (first entry)
XX
DE   Human protein SEQ ID NO 1516.
XX
KW   Human; cytokine; cell proliferation; cell differentiation; gene therapy;
KW   vaccine; peptide therapy; stem cell growth factor; haematopoiesis;
KW   tissue growth factor; immunomodulatory; cancer; leukaemia;
KW   nervous system disorder; arthritis; inflammation.
XX
OS   Homo sapiens.
XX
XX
PN   WO200157190-A2.
XX
PD   09-AUG-2001.
XX
PF   05-FEB-2001; 2001WO-US04098.
XX
PR   03-FEB-2000; 2000US-0496914.
```

Left column

```
PR   27-APR-2000; 2000US-0560875.
PR   20-JUN-2000; 2000US-0598075.
PR   19-JUL-2000; 2000US-0620325.
PR   01-SEP-2000; 2000US-0654936.
PR   15-SEP-2000; 2000US-0663561.
PR   20-OCT-2000; 2000US-0693325.
PR   30-NOV-2000; 2000US-0728422.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Drmanac RT, Asundi V, Zhou P, Xu C, Cao Y, Ma Y;
PI   Zhao QA, Wang D, Wang J, Zhang J, Ren F, Chen R, Wang ZW;
PI   Xue AJ, Yang Y, Wejhman T, Goodrich R;
XX
DR   WPI; 2001-476283/51.
DR   N-PSDB; AAK51987.
XX
PT   Nucleic acids encoding polypeptides with cytokine-like activities,
PT   useful in diagnosis and gene therapy -
XX
PS   Claim 20; Page 3813-3817; 6221pp; English.
XX
CC   The invention relates to polynucleotides (AAK51456-AAK53435) and the
CC   encoded polypeptides (AAM78323-AAM80302) that exhibit activity elating to
CC   cytokine, cell proliferation or cell differeation or which may induce
CC   production of other cytokines in other cell populations. The
CC   polynucleotides and polypeptides are useful in gene therapy, vaccines or
CC   peptide therapy. The polypeptides have various cytokine-like activities,
CC   e.g. stem cell growth factor activity, haematopoiesis regulating
CC   activity, tissue growth factor activity, immunomodulatory activity and
CC   activin/inhibin activity and may be useful in the diagnosis and/or
CC   treatment of cancer, leukaemia, nervous system disorders, arthritis and
CC   inflammation.
CC   Note: Records for SEQ ID NO 2110 (AAK52581), 2111 (AAK52582) and 3666
CC   (AAM80020) are omitted as the relevant pages from the sequence listing
CC   were missing at the time of publication.
XX
SQ   Sequence 1960 AA;

Query Match             7.0%;  Score 166;  DB 22;  Length 1960;
Best Local Similarity  19.6%;  Pred. No. 0.00029;
Matches   88;  Conservative   81;  Mismatches  145;  Indels  136;  Gaps  15;

Qy     48 QCRIQVGKRTIINKLFFDLAQEEENVLDREF------------------LKNELDNVRAQLSOK   93
          :|::|  |: || :| | : ||:|  |                    ||:|  ::
Db   1073 elkmqlakke--eelqaalarveeeaaqknmalkkirelesqiseelqedleserasrnka 1130

Qy     94 DKEKRDSQVIIDTLRDTLEERNATVVSLQQALGKAE----MLCSTLKKOMKYLEQQODET  149
          :|:||  :| |:| : |:||  : |:  |                 : : ||:
Db   1131 ekqkrdlgeeleakteledtidstaaqgelrskreqevnilkktleeeaktheaqiqem  1190

Qy    150 KQAQEEA-----------GRLRSKMKTME--------QIELLLQS------QLPEV    180
          :| |        :|  |             :::|||          :|
Db   1191 rqkhsqaveelaeglaleqtkrvkanlekakqtlenergelanevkvllggkgdsehkrkv 1250

Qy    181 EEMIRDMGV---GOSAVEQLAYVCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKL    236
          ||:  :|:    |: :| ||  | : | :| |
Db   1251 eaqlqelgvkfnegervrteladkvtklqveldnvtglisqsdsksskltkdfsalesql 1310

Qy    237 QTVYSELDQAKLELKSAOKDLQSADKEIMSLKKKLTMLQETLNLPPVASETVDRLVLESP  296
          : :  || |  :| :| :|
Db   1311 q-----------dtqellqeenrqklslstklkqvedekn-------------        1339

Qy    297 APVEVNLKLRRPSFRDDIDLNATFDVDTPPARPSSSQHGYYEKLCLEKS-----HSPIQDV  352
          :| : |         :||          ::|            :|
Db   1340 -------------sfreqle------------eeeeakhn-----lekqiatlhaqvadm  1369

Qy    353 PKKI------------CKGPRKESQLSLGGQSCAGEPDEELVGAFPIFVRNAILGQKQ----  398
          |:|             :|                |||       ::|
Db   1370 kkkmedsvgcletaeevkrklqkdlegls---qrheekvaaydklektkrlqqelddll   1426

Qy    399 -PKRPRSESSCSKDVVRTGFDGLGGRTKFI  427
```

Right column

```
Db   1427 vdldhqrqsacnlekkqkkfdqllaeekti 1456
          : :|:| :  ||| | |  |
Qy    399 -PKRPRSESSCSKDVVRTGFDGLGGRTKFI  427

RESULT 27
ID   ABG01716 standard; protein; 2143 AA.
XX
AC   ABG01716;
XX
DT   13-FEB-2002  (first entry)
XX
DE   Novel human diagnostic protein #1707.
XX
KW   Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW   food supplement; medical imaging; diagnostic; genetic disorder.
XX
OS   Homo sapiens.
XX
PN   WO200175067-A2.
XX
PD   11-OCT-2001.
XX
PF   30-MAR-2001; 2001WO-US08631.
XX
PR   31-MAR-2000; 2000US-0540217.
PR   23-AUG-2000; 2000US-0649167.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Drmanac RT, Liu C, Tang YT;
XX
DR   WPI; 2001-639362/73.
DR   N-PSDB; AAS65903.
XX
PT   New isolated polynucleotide and encoded polypeptides, useful in
PT   diagnostics, forensics, gene mapping, identification of mutations
PT   responsible for genetic disorders or other traits and to assess
PT   biodiversity -
XX
PS   Claim 20; SEQ ID NO 32075; 103pp; English.
XX
CC   The invention relates to isolated polynucleotide (I) and
CC   polypeptide (II) sequences. (I) is useful as hybridisation probes,
CC   polymerase chain reaction (PCR) primers, oligomers, and for chromosome
CC   and gene mapping, and in recombinant production of (II). The
CC   polynucleotides are also used in diagnostics as expressed sequence tags
CC   for identifying expressed genes. (I) is useful in gene therapy techniques
CC   to restore normal activity of (II) or to treat disease states involving
CC   (II). (II) is useful for generating antibodies against it, detecting or
CC   quantitating a polypeptide in tissue, as molecular weight markers and as
CC   a food supplement. (II) and its binding partners are useful in medical
CC   imaging of sites expressing (II). (I) and (II) are useful for treating
CC   disorders involving aberrant protein expression or biological activity.
CC   The polypeptide and polynucleotide sequences have applications in
CC   diagnostics, forensics, gene mapping, identification of mutations
CC   responsible for genetic disorders or other traits to assess biodiversity
CC   and to produce other types of data and products dependent on DNA and
CC   amino acid sequences. ABG00010-ABG30377 represent novel human
CC   diagnostic amino acid sequences of the invention.
CC   Note: The sequence data for this patent did not appear in the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 2143 AA;

Query Match             7.0%;  Score 166;  DB 22;  Length 2143;
Best Local Similarity  19.6%;  Pred. No. 0.00033;
Matches   88;  Conservative   81;  Mismatches  145;  Indels  136;  Gaps  15;

Qy     48 QCRIQVGKRTIINKLFFDLAQEEENVLDREF------------------LKNELDNVRAQLSOK   93
          :|::|  |: || :| | : ||:|  |                    ||:|  ::
```

Qy   1155 elkmqlakke--eelgaalarveeeaqknmalkkirelesqiselegedleserasrnka 1212
            :|| ||||| ||| :| |: ||| ::| | : |||| | || : :
Qy   94 DKEKRDSQVIIDTLRDTLEERNATVVSLQQQALGKAE-----MLCSTLKKQMKYLEQQQDET 149

Qy   1213 ekqkrdlgeeleaiktledtldstaaqgelrskreqevnilkktleeeaktheaqiqem 1272
            :|| || | : ||| ||| ||| | | | | |||| | | |||
Qy   150 KQAQEEA---------------GRLRSKMKTMEI--------QIELLLQS-----QLPEV 180

Qy   1273 rqkhsqaveelaeqleqtkrvkanlekakqtlenergelanevkvligykgqdsehkrkv 1332
            :|| | || || :|| || | || | || | | :|
Qy   1273 EEMIRDMGV---GQSAVEQLAVYCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKL 236

Qy   1333 eaqlqelqvkfnegervrteladkvtklqveidnvtgllsqsdskssskltkdfsalesq1 1392
            ::|| | :| ||: :| || | ::|
Qy   237 QTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLNLPPVASETVDRLVLESP 296

Db   1393 q------------dtqellqeenrqkislstklkqvedekn--------------- 1421
            | |:|| | | || |:|||
Qy   297 APVEVNLKLRRPSFRDDIDLNATFDVDTPPPARPSSSQHGYYEKLCLEKS-------HSPIQDV 352

Db   1422 -----sfreqle------------eeeeeakhn-----lekqiatlhaqvadm 1451
                 :|| | ||||| || | :| | || || |
Qy   353 PKKI--------CKGPRKESQLSLGGQSCAGEPEDELVGAFPIFVRNAILGQKQ----- 398

Db   1452 kkkmedsvgcletaeeevkrkldkdlegls--qrheekvaaydklektkrlqgeldll 1508
            :: : | | ::| | | | ||| | || |:||
Qy   399 -PKRPRSESSCSRKDVVRTGFDGLGGRTKFI 427

Db   1509 vdldhqrgsacnlekkqkkfdgllaeekti 1538

RESULT 28

AAY01632

ID   AAY01632 standard; Protein; 2954 AA.
AC   AAY01632;
DT   22-JUN-1999 (first entry)
DE   Amino acid sequence of centromere-associated protein-E (CENP-E).
KW   CENP-E; centromere-associated protein-E; ATPase activity;
KW   plus end-directed microtubule motor activity; chromosome congression;
KW   microtubule binding activity; chromosome movement; mitosis;
KW   cell proliferation; tumor; metastasis; vascular malfunction;
KW   angiogenesis; hypertension; restenosis; inflammatory disease;
KW   restenosis; fungal infection; selective herbicide; fungicide;
KW   insecticide; plant growth regulator; activator; cancer cell marker.
OS   Xenopus sp.
XX
PN   WO9913061-A1.
XX
PD   18-MAR-1999.
XX
PF   10-SEP-1998; 98WO-US19231.
XX
PR   11-SEP-1997; 97US-0058645.
XX
PA   (REGC) UNIV CALIFORNIA.
PI   Cleveland DW, Goldstein LSB, Sakowicz R, Wood KW;
XX
DR   WPI; 1999-229233/19.
DR   N-PSDB; AAX26819.
XX
PT   Centromere-associated protein-E and related nucleic acid
XX
PS   Claim 5; Page 66-67; 77pp; English.
XX
CC   The present sequence represents CENP-E (centromere-associated protein-E)
CC   of Xenopus. The protein has at least one of plus end-directed microtubule
CC   motor activity. ATPase (adenosine triphosphatase) activity and

---

CC   microtubule binding activity. CENP-E is the motor that powers chromosome
CC   movement toward microtubule plus ends and is essential for congression
CC   of chromosomes during mitosis. Modulators of CENP-E can thus control
CC   cell proliferation. Agents that modulate CENP-E activity are lead
CC   therapeutic, bioagricultural and diagnostic agents, e.g. for treatment
CC   of unwanted cell proliferation (typical of many examples are tumors and
CC   metastases; vascular malfunction; inflammatory and immune diseases;
CC   angiogenesis; hypertension; restenosis; and fungal infections), also as
CC   plant-protection agents (selective herbicides, fungicides and
CC   insecticides) and plant growth regulators or activators for improving
CC   yields. CENP-E is also a diagnostic marker for dividing cells, including
CC   cancer cells.
XX
SQ   Sequence 2954 AA;

Query Match   6.9%; Score 165.5; DB 20; Length 2954;
Best Local Similarity   21.4%; Pred. No. 0.00057;
Matches   82; Conservative 68; Mismatches 127; Indels 107; Gaps 15;

Qy   34 LIQSFETAPSRTCPQCRIQVGKRT-------------------IINKLFFDLAQEENVLDREFLK 80
            |: ||| | |: :|::| |:||| ::||||| |::||| :| |
Db   1584 laknlaiaasdncp---itqeketsadcvnpleekiliiteelhqktneqeklhe---k 1637

Qy   81 NELDNVRAQLSQKDKDKEKRDSQVIIDTLRDTLEERNATVVSLQQQALGKAEMLCSTLKKQMK 140
            ||| | | |: | || || ||||| ||| || | |||| || | ||
Db   1638 neleqaqvelkce---------------vehlmksmieskssieslqhekhdteqgllalkqqmq 1687

Qy   141 YLEQQQDETKQAQE------EAGRLRSKM----------------KTMEQIELL 172
            || ||: | |:| |||||| |||:|||
Db   1688 vvtgekkelqqthehltaevdhlkenielglnfkneaqgkttkeqcllnenkeleqsqhr 1747

Qy   173 LQSQLPEVEEMIRDMGVGQSAVEQL--AVVCVSLKK-------EVENLKEARKASGEVA 222
            |:| || | : |::| ::| |:| || |||| | ||| || |
Db   1748 lqc---eieelmkslkdkesaletlkeseqkvinlngememvmlemeelknsqrtviaer 1804

Qy   223 DKLRKDLFSSRSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLNLPP 282
            || |:|| ||: |::|| ||||| | | | | || || | | |::|: |:: |||
Db   1805 dqlqddl--resvemsietqd---dirkaqeaigqqkdkvqeltsqisvlqekisl-- 1855

Qy   283 VASETVDRLVLESPAPVEVNLKLRRPSFRDDIDLNATFDVDTPPPARPSSSQHGYYE---- 338
            || |||||| || |:| | |::|||| || || || ||| |||| :
Db   1856 ----lenqmlynvatvketl------serddln----------------qskqhlfseietl 1891

Qy   339 KLCLEKSHSPIQDVPRKICKGPRK 362
             | |||:||| | || ||||
Db   1892 slslekekefaleqaekdkadaark 1915

RESULT 29

AAM80122

ID   AAM80122 standard; Protein; 690 AA.
XX
AC   AAM80122;
XX
DT   06-NOV-2001 (first entry)
XX
DE   Human protein SEQ ID NO 3768.
XX
KW   Human; cytokine; cell proliferation; cell differentiation; gene therapy;
KW   vaccine; peptide therapy; stem cell growth factor; haematopoiesis;
KW   tissue growth factor; immunomodulatory; cancer; leukaemia;
KW   nervous system disorder; arthritis; inflammation.
XX
OS   Homo sapiens.
XX
PN   WO200157190-A2.
XX
PD   09-AUG-2001.
XX
PF   05-FEB-2001; 2001WO-US04098.
XX
PR   03-FEB-2000; 2000US-0496914.

```
PR   27-APR-2000; 2000US-0560875.
PR   20-JUN-2000; 2000US-0598075.
PR   19-JUL-2000; 2000US-0620325.
PR   01-SEP-2000; 2000US-0654936.
PR   15-SEP-2000; 2000US-0663561.
PR   20-OCT-2000; 2000US-0693325.
PR   30-NOV-2000; 2000US-0728422.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Drmanac RT, Asundi V, Zhou P, Xu C, Cao Y, Ma Y;
PI   Zhao QA, Wang D, Wang J, Zhang J, Ren F, Chen R, Wang ZW;
PI   Xue AJ, Yang Y, Wejhrman T, Goodrich R;
XX
DR   WPI: 2001-476283/51.
DR   N-PSDB; AAK53255.
XX
PS   Claim 20; Page 430; 6221pp; English.
XX
PT   Nucleic acids encoding polypeptides with cytokine-like activities,
PT   useful in diagnosis and gene therapy -

CC   The invention relates to polynucleotides (AAK51456-AAK53435) and the
CC   encoded polypeptides (AAM78323-AAM80302) that exhibit activity elating to
CC   cytokine, cell proliferation or cell differentiation or which may induce
CC   production of other cytokines in other cell populations. The
CC   polynucleotides and polypeptides are useful in gene therapy, vaccines or
CC   peptide therapy. The polypeptides have various cytokine-like activities,
CC   e.g. stem cell growth factor activity, haematopoiesis regulating
CC   activity, tissue growth factor activity, immunomodulatory activity and
CC   activin/inhibin activity and may be useful in the diagnosis and/or
CC   treatment of cancer, leukaemia, nervous system disorders, arthritis and
CC   inflammation.
CC   Note: Records for SEQ ID NO 2110 (AAK52581), 2111 (AAK52582) and 3666
CC   (AAM80020) are omitted as the relevant pages from the sequence listing
CC   were missing at the time of publication.
XX
SQ   Sequence 690 AA;

Query Match             6.9%;  Score 164.5;  DB 22;  Length 690;
Best Local Similarity  23.3%;  Pred. No. 9.1e-05;
Matches   100;  Conservative   64;  Mismatches 129;  Indels 137;  Gaps 20;

Qy     64 FDLAQEENVLDREFL---KNELDNVRAQLSQKDKERDSQVIIDTLRDTLEERNATVV 119
          :| :||| :  |||  |:|    ||| :|| | |  || ||| ||||:|
Db    269 ydkvkserdaleqevielrrkheileashmigtkerselskevv-----tleq--tvt 319

Qy    120 SLQ---QALGKAEM---LCSTLKKQMKYLEQQODETKQAQEE------AGRLRSKMK-- 164
          ||    :| | | |  | | ||| | | : | : || ||| :||        |:|:|
Db    320 llqkdkeylnrqnmelsvrcaheedrlelqaqleeskkareenyekyvasrdhykteye 379

Qy    165 -----TMEQIELLLQSQLPEVEEMIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASG 219
               |||  |||| :|  |: |  ::|| :  |  ::   | | |  || ||:  :
Db    380 nklhdeleqirlktnqeidqlrnasrem------yerernlrear--dn 421

Qy    220 EVADKLR------KDL------------------FSSRSKLQTVYSE------- 242
          |   :||      ||:                  | |||  |:  ::
Db    422 avaekeravmaekdalekhdqlidryrelqisteskvteflhgsklksfeservqllgee 481

Qy    243 ---LDQAKLELKSAQKDLQSADKEIMSL----KKKLTML-------QETLNLPVASET 287
         |  |||:|| |||  ||| :|| :|||:    ||| | :       | |:|
Db    482 tarnltgqlecekygklevltkefyslqassekriteiqaqnsehqarldiyekleke 541

Qy    288 VDRIVLESPAPVEVNLKLRRPSFRDDIDLNATFDVDTPPARPSSSQHGYYEKICLEKSHS 347
          : |:::||  |   | | | || :  :  :| :    :| |  | | :| | ::
Db    542 ldeiimgt-aeienedeaervlfsygyganvp---ttakrrlkgsvhlarrvlqlekqns 597

Qy    348 PIQDVPKKICKGPRKESQLSLGGQSCAGEPDEELVGAFPIFVR-----NAILGQ-KQPKR 401
          || |::|   |  || :: |  |  |   :|  | | |           | |  :|| |
Db    598 li-------------lkrsgtskgpsnta-----------ftrslteanslingtqqpyr 633

Qy    402 PRSESSCSKD 411
          |   || |
Db    634 yliesvrqrd 643
```

```
RESULT 30
ID   AAB96332 standard; Protein; 880 AA.
XX
AC   AAB96332;
XX
DT   29-OCT-2001 (first entry)
XX
DE   Putative P. abyssi ATPase involved in DNA repair #2.
XX
KW   Hyperthermophilic archaeon; hyperthermophilic protein.
XX
OS   Pyrococcus abyssi.
XX
AC   FR2792651-A1.
XX
PN   27-OCT-2000.
XX
PF   21-APR-1999; 99FR-0005034.
XX
PR   21-APR-1999; 99FR-0005034.
XX
PA   (CNRS ) CNRS CENT NAT RECH SCI.
PA   (IFRE-) IFREMER INST FR RECH EXPL MER.
XX
PI   Forterre P, Thierry JC, Prieur D, Dietrich J, Lecompte O;
PI   Querellou J, Weissenbach J, Saurin W, Heilig R;
XX
DR   WPI: 2001-126236/14.
XX
PT   New nucleotide sequences isolated from Pyrococcus abyssi encode
PT   proteins useful in industry -

CC   The present invention relates to the genomic sequence of Pyrococcus
CC   abyssi (see AAB86431 and AAH41223-7) and P. abyssi proteins. P. abyssi is
CC   a hyperthermophilic archaeon, which is isolated from deep-sea
CC   hydrothermal vents. The present sequence is one such P. abyssi protein.
CC   The proteins of the present invention have various potential industrial
CC   uses, since the proteins are stable at very high temperatures, some up to
CC   110 degrees centigrade.
CC   Note: This patent is in the same patent family as WO200065062, which
CC   contains additional sequences as shown in AAB99132-AAB99143,
CC   AAH75903-AAH75920 and AAG66436.
XX
PS   Claim 7; Pages 1003-1006; 1657pp; French.

SQ   Sequence 880 AA;

Query Match             6.9%;  Score 164.5;  DB 22;  Length 880;
Best Local Similarity  21.9%;  Pred. No. 0.00013;
Matches    61;  Conservative   65;  Mismatches 122;  Indels 31;  Gaps 7;

Qy     65 DLAQEENVLDREFLKNELDNVRAQLSQKDKERDSQVIIDTLRDTLEERNATVVSLQQA 124
          |||:|||  |||  |  |||| | |   | |:|| ||| ||| ||||:|| | :
Db    226 elekvrenvkelesikgkiselkigveklkgrkkgleekivgiersieekkakiseleei 285

Qy    125 LGKAEMLCSTLKKQMK---YLEQQODETKQAQEEAGRLRSKMKTMEQIELLLLQSQLPEVE 181
          |  |::|| | |:| |   ||:  :|   :  : ::|| |      |::| |   | |
Db    286 vkdipklqekekeyrklkgfrdeyeskiriekelskweselkaleevikegekkerae 345

Qy    182 EMIRDMGVGQSAVEQLAVYCVSL------KKEYENLKEARK--ASGEVADKL---- 227
          |:||:||| ||  :|  | |          |:| || ||:  |  | |  |
Db    346 eireklseiekrleelkpyveeledakqvpkqierlkarlkglspgevieklesekert 405

Qy    228 DLFSSRSKLQTVYSELDQAKLELKSAQKDLQSA----------DKEIMSLKKKLTMLQETLNL 280
          || | ||| || |: ||::|||||||||:|  :          ||::|  | |:||| | |
Db    406 eieaaikeittriggmeqekenrmkaieelrkakgkcpvcgreltcehhkkelmerytlei 465
```

```
Qy    281 PPVASETVDRLVLESPAPVEVNL------KLRRPSFRDDI 314
          ::|  ||       ||||  |||||
Db    466 kkieeel--krtteeerklrvnlrkleiklrefsvmrdi 502
```

```
RESULT 31
ABG05140
ID    ABG05140 standard; Protein; 808 AA.
XX
AC    ABG05140;
XX
DT    13-FEB-2002  (first entry)
XX
DE    Novel human diagnostic protein #5131.
XX
KW    Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW    food supplement; medical imaging; diagnostic; genetic disorder.
XX
OS    Homo sapiens.
XX
XX
PN    WO200175067-A2.
XX
PD    11-OCT-2001.
XX
PF    30-MAR-2000; 2001WO-US08631.
XX
PR    31-MAR-2000; 2000US-0540217.
PR    23-AUG-2000; 2000US-0649167.
XX
PA    (HYSE-) HYSEQ INC.
XX
PI    Drmanac RT, Liu C, Tang YT;
XX
DR    WPI; 2001-639362/73.
DR    N-PSDB; AAS69327.
XX
PT    New isolated polynucleotide and encoded polypeptides, useful in
PT    diagnostics, forensics, gene mapping, identification of mutations
PT    responsible for genetic disorders or other traits and to assess
PT    biodiversity -
XX
PS    Claim 20; SEQ ID No 35499; 103pp; English.
XX
CC    The invention relates to isolated polynucleotide (I) and
CC    polypeptide (II) sequences. (I) is useful as hybridisation probes,
CC    polymerase chain reaction (PCR) primers, oligomers, and for chromosome
CC    and gene mapping, and in recombinant production of (II). The
CC    polynucleotides are also used in diagnostics as expressed sequence tags
CC    for identifying expressed genes. (I) is useful in gene therapy techniques
CC    to restore normal activity of (II) or to treat disease states involving
CC    (II). (II) is useful for generating antibodies against it, detecting or
CC    quantitating a polypeptide in tissue, as molecular weight markers and as
CC    a food supplement. (II) and its binding partners are useful in medical
CC    imaging of sites expressing (II). (I) and (II) are useful for treating
CC    disorders involving aberrant protein expression or biological activity.
CC    The polypeptide and polynucleotide sequences have applications in
CC    diagnostics, forensics, gene mapping, identification of mutations
CC    responsible for genetic disorders or other traits to assess biodiversity
CC    and to produce other types of data and products dependent on DNA and
CC    amino acid sequences. ABG00010-ABG30377 represent novel human
CC    diagnostic amino acid sequences of the invention.
CC    Note: The sequence data for this patent did not appear in the printed
CC    specification, but was obtained in electronic format directly from WIPO
CC    at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ    Sequence      808 AA;
```

```
Qy     30 HLQCLIQSFETAPSRTCPQCRIQVG--------KRTINKLFFDLAQ-EEENVLDREF- 78
```

```
Query Match      6.9%;   Score 164;  DB 22;   Length 808;
Best Local Similarity   20.5%;   Pred. No. 0.00012;
Matches   76;  Conservative  74;  Mismatches 153;   Indels  68;   Gaps  10;
```

```
Qy    321 hievlkesl--takegraailqtevdalrlrleekesflinkktkqlqqlteekgtlageir 379
          :|   |   |  | |       ||                |  |||||||| |  ||
Db     79 -----------------------------LKNELDNVRAQLSOKDKEKRDSQVIIDYLRDTLEERNATVVSLQQ 123
```

```
Qy     79 ----------------------------------------------- 79
Db    380 dmkdmlevkerkinvlqkklenlgeqlrdkdkqltnlkdrvkslqtdssntdalatlee 439
```

```
Qy    124 ALGKAEMLCSTLKQMKYLEQQODETKAQEEAGRLRSKMKTMEQIELLLQSOLPEVEEM 183
          | | ||||  || || ||  | |||  | |  | | ||:|  |  |||| |||  |
Db    440 alsekerlierlk-----eqrerddrerleeiesfrkenkdlkekvnalqaeltekess 493
```

```
Qy    184 IRDMCVGOS------------------------AVEQLAVYCVSLK---KEYENLKEARKASGEVA 222
          |  |  |                            | |  ||   |    | |||||||||||||| |
Db    494 lidlkehasslasaglkrdseklkslelaieqkkeecskleaqlkkahnleddsrmnpefa 553
```

```
Qy    223 DKLR---KDLFSSRSKLQTVYSELDQAKLBELKSAQKDLQSADKEIMSLKKKLTMLQETLN 279
          ||    |  |  ||  | |  |||  |   |  |||| |:   |||||||||||||| |
Db    554 dqikqldkeasyydecgkaqaevdrllelikevenekndkdkiaelesltlrhmkdqn 613
```

```
Qy    280 LPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDID-----LNA-----TFDVDTPPAR 328
          |||||||||||||||||||||||||||||||||||:     |||      |||||||||
Db    614 kkvanlkhnaqlekkknaqlleevrrredsmadnsqhlqieeelmnalektrqeldatkar 673
```

```
Qy    329 PSSSOHGYYEK 339
          :||  ||
Db    674 lastqqslaek 684
```

```
RESULT 32
AAB96721
ID    AAB96721 standard; Protein; 1177 AA.
XX
AC    AAB96721;
XX
DT    29-OCT-2001  (first entry)
XX
DE    Putative P. abyssi ATPase involved in DNA repair #3.
XX
KW    Hyperthermophilic archaeon; hyperthermophilic protein.
XX
OS    Pyrococcus abyssi.
XX
XX
PN    FR2792651-A1.
XX
PD    27-OCT-2000.
XX
PF    21-APR-1999; 99FR-0005034.
XX
PR    21-APR-1999;  99FR-0005034.
XX
PA    (CNRS ) CNRS CENT NAT RECH SCI.
PA    (IFRE-) IFREMER INST FR RECH EXPL MER.
XX
PI    Forterre P, Thierry JC, Prieur D, Dietrich J, Lecompte O;
PI    Querellou J,   Weissenbach J, Saurin W, Heilig R;
XX
DR    WPI; 2001-126236/14.
XX
PT    New nucleotide sequences isolated from Pyrococcus abyssi encode
PT    proteins useful in industry -
XX
PS    Claim 7; Pages 1483-1487; 1657pp; French.
XX
CC    The present invention relates to the genomic sequence of Pyrococcus
CC    abyssi (see AAF86431 and AAH41223-7) and P. abyssi proteins. P. abyssi is
CC    a hyperthermophilic archaeon, which is isolated from deep-sea
CC    hydrothermal vents. The present sequence is one such P. abyssi protein.
CC    The proteins of the present invention have various potential industrial
CC    uses, since the proteins are stable at very high temperatures, some up to
CC    110 degrees centigrade.
CC    Note: This patent is in the same patent family as WO200065062, which
CC    contains additional sequences as shown in AAB99132-AAB99143,
CC    AAH75903-AAH75920 and AAG66436.
```

Left column

```
XX
SQ   Sequence 1177 AA;

Query Match    6.9%; Score 164; DB 22; Length 1177;
Best Local Similarity 21.8%; Pred. No. 0.00021;
Matches 73; Conservative 72; Mismatches 100; Indels 90; Gaps 15;

Qy    61 KLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVS 120
         ::||   |||| |  ::|
Db   178 kalqelkqaeenlarvdllire---vkkqldklekerndalryld-lkerlerarveli 232

Qy   121 LQQALGKAEMLCSTLKKQMKYLEQQQQDETKQAQEE---AGRLRSKMKTMEQIELLLQS- 175
         : ||:  :  :  :   :|  |:    |:
Db   233 ---lgeikkveseikgnderiekieeeikieeiakeivrkerelkeveelieke 288

Qy   176 ------QLPEVEEMI-----RDMGVGQSAVEQLAVYCVSLKKKEYEN-LKEARKASGE 220
         :   |:         :|:     |||||||||
Db   289 sseealkitreigevnskinlakrnievakkeldeaqirlikakdelkkvlseiekskga 348

Qy   221 VA----------DKLRKDLFSSRSKLQTVYSELDQ---AKLELKSAQKDLQSADKEIMS 266
         ||           :|::| | |:: :||  |
Db   349 iarwgkrkealhki-keleeeenklvvklgeidrtfavareefdnvvkelenarkslye 407

Qy   267 LK--KKLTMLQEFTLNLPPVASEFVDRLVLESPAPVEVNKLRRPSFRDDIDLNATFDVD 323
         |:    :| |:       | :  :|
Db   408 neadikrleaekeris------sriti------lkaklpgireev------ 440

Qy   324 TPPARPSSSQHGYYEKL--CLEKSHSPIQDVPKKI 356
         | :|::      :|:   |
Db   441 ------------------eklrekleekkaelsnvenki 461
```

RESULT 33

AAY77575

```
ID   AAY77575 standard; protein; 2442 AA.
XX
AC   AAY77575;
XX
DT   08-MAY-2000  (first entry)
XX
DE   Human cytoskeletal protein (HCYT) (clone 1655208).
XX
KW   Human cytoskeletal protein; HCYT; cell proliferation; immunological;
KW   reproductive; nervous disorder; cytostatic; immunosuppressive; anti-HIV;
KW   anti-diabetic; antiarteriosclerotic; dermatological; anti-inflammatory;
KW   anti-infertility; vasotropic; cardiant.
XX
OS   Homo sapiens.
XX
KW
XX
PN   WO200006730-A2.
XX
PD   10-FEB-2000.
XX
PF   30-JUL-1999;  99WO-US17167.
XX
PR   31-JUL-1998;  98US-0155185.
PR   04-AUG-1998;  98US-0160081.
PR   19-AUG-1998;  98US-0155228.
XX
PA   (INCY-) INCYTE PHARM INC.
XX
PI   Bandman O, Tang YT, Yue H, Corley NC, Guegler KJ, Azimzai Y;
PI   Patterson C, Lal P, Baughn MR;
XX
DR   WPI; 2000-195297/17.
DR   N-PSDB; AAZ58980.
XX
PT   Human cytoskeletal proteins useful for diagnosing, treating preventing
PT   cell proliferative, immunological, reproductive, developmental and
PT   nervous disorders -
XX
PS   Claim 1; Page 71-76; 84pp; English.
```

Right column

```
XX
CC   The invention provides human cytoskeletal proteins (HCYT) and nucleic
CC   acids encoding the proteins. The HCYT polypeptides can be expressed by
CC   standard recombinant methodology. The HCYT polypeptides, modulators and
CC   antibodies are useful for treating or preventing a disorder associated
CC   with decreased and increased expression or activity of HCYT in mammals.
CC   The polypeptides are also useful for diagnosing HCYT activity disorders
CC   such as cell proliferative, immunological, reproductive, developmental
CC   and nervous disorders. Sequences AAY77569-576 represent HCYT
CC   polypeptides.
XX
SQ   Sequence 2442 AA;

Query Match    6.9%; Score 164; DB 21; Length 2442;
Best Local Similarity 22.6%; Pred. No. 0.00058;
Matches 90; Conservative 59; Mismatches 151; Indels 98; Gaps 16;

Qy    68 QEEENVLDREFLK--NELDNVRAQLSQKDKEKRDSQVIIDTLRDTLEERNATVVSLQQAL 125
         :|   |       |||:     ||          ||
Db   863 ekerswhqqelakaleslerekmelemrlkeqqtemeaiqaqre--eertqaeasal--- 916

Qy   126 GKAEMLCSTLKKQMKYLE---QQQDETKQAQEEAGRLRSKMKTMEQIEL----LLQSQLP 178
         |  ::   :|  |::         |:   |         ||:|        ||:| |
Db   917 --cqmqletekervslletiliqtgkeladasqqlerlrqdmkvqklkegettglqtqlq 974

Qy   179 EVEEMIR-------DMGVGQSAVEQLAVYCVSLKKKEYENLK------EARKASGEVA 222
         :  |:       ::        :  :||       :|:      |||||||
Db   975 eaqrelkeaarqhrddlaailqeessslqdkmdlqqkqvedlksqlvaqddsqriveqevq 1034

Qy   223 DKLR----------KDLFSSRSKLQTVYSELDQAKL----ELKSAQKDLQSADK 262
         :||            :|  ::      :|||     :|||||||||||
Db  1035 eklretqeynriqkelerekaslitlslmekeqrilvlqeadsirqqelsalrqdmqeaqg 1094

Qy   263 EIMSLKKKLTMLQEFTLNLPPVASEFVDRLVLESPAPVEV-------------- 301
         |  ||:::|      :| : :   |:
Db  1095 eqkelsaqmellrq---evkekeadflaqeaqlleeleashiteqqlraslwaqeaka 1149

Qy   302 -NLKLRRPSFRDDIDLNATFDVDTPPARPSSSQHGYYEKLCLEKSHSPIQDVPKKICKGP 360
          :|| |:|          :   :|:        |  :|:|
Db  1150 aqlhlrlrstesqleala---aeqgppgnqaqaq----aqlaslysalgqalgsvce-- 1198

Qy   361 RKESQLSLGQSCAG----EPDEELVGAPPIFVRNAIL 394
         ::|  ||||  |||    ||  |: | ||
Db  1199 -srpelsgggdsapsvwglepdqn-garslfkrgpll 1233
```

RESULT 34

AAP90955

```
ID   AAP90955 standard; protein; 441 AA.
XX
AC   AAP90955;
XX
DT   23-FEB-1990  (first entry)
XX
DE   M6 streptococcal protein.
XX
KW   Immunoglobulin.
XX
OS   Streptococcus group A.
XX
FH   Key             Location/Qualifiers
FT   Region          216..235
FT   Region          248..269
FT   Region          275..284
XX
PN   WO8909064-A.
XX
PD   05-OCT-1989.
XX
PF   13-MAR-1989;  89WO-US01026.
XX
PR   25-MAR-1988;  88US-0173380.
```

```
XX
XX
PA   (UYRO ) ROCKEFELLER UNIV.
XX
PI   Fischetti V;
XX
DR   WPI; 1989-309382/42.
XX
PT   Polypeptide(s) from streptococcal M protein - used to prepare vaccines
PT   for providing protection against streptococcal infection
XX
PS   Disclosure; Fig 1; 22pp; English.
XX
CC   The regions (pref. conjugated to a natural carrier, eg cholera toxin)
CC   above can elicite an secretory Ig response in a mammal. They are used
CC   in vaccines against streptococcal infection, and give protection to
CC   different serotypes.
XX
SQ   Sequence    441 AA;

Query Match           6.9%;  Score 163.5;  DB 10;  Length 441;
Best Local Similarity   22.3%;  Pred. No. 5.9e-05;
Matches  81;  Conservative  70;  Mismatches 124;  Indels  89;  Gaps 14;

Qy    55 KRTIINKLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDK--EKRDSQVIIDTLRDTLE 112
          |:|:| |:|:| ||                    |  :  ::|:||:|| :|:|
Db   124 kktidetvkdkiakeqesketigtlkktlde------tvkdkiakeqesketigtlkktld 178

Qy   113 ERNATVVSLQQALGKAEMLCSTLKKQMKYLEQQDET-------KQAQEEAGRLRSKMK 164
          ||   :|   ||                           :::::| |:| |
Db   179 etvkdkiakeq--esketigtlkil------detvkdkiareqskqdigalkq-- 225

Qy   165 TMEQIELLLQSQLPEVEE------MIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASG 219
          |  ||              |:  |:                    | ::|  |:
Db   226 -----elakkdegnkvseasrkglrrdldasreakkqvekdlanltaeldkvkeekqisd 280

Qy   220 EVADKLRKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLN 279
          || ||  |                ::  :  :  ::||    |:||| ||:|:
Db   281 asrgglrrdldasr-------eak---kqvekaleeanskiaalekinkelees-- 324

Qy   280 LPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDIDLNA---------TFDVDTPPARP 329
          |: :|  |   ||                           | |:|
Db   325 ------kkltekekaelqaklaqaeelaklragakasdsqtpdakp 375

Qy   330 SSSOHGYYEKLCLEKSHSPIQDVPKKICKGPRKESQLSLGGQSCAGEPEDEELVGAFPIFV 389
          :  :   |     :        |:  :  |
Db   376 gn-------kvpgkgqapqagtkpnqnkapmketkrgl---pstget-----anpfft 419

Qy   390 RNAI 393
          ||:
Db   420 aaal 423


RESULT 35

ID   AAR41780 standard; protein; 441 AA.
XX
AC   AAR41780;
XX
DT   25-MAR-1994 (first entry)
XX
DE   Streptococcus pyogenes M6 protein.
XX
KW   Group A Streptococcus; coiled coil surface antigen; anchor region;
KW   gram positive bacterium; M protein; fusion protein; immunogen.
XX
OS   Streptococcus pyogenes.
XX
FH   Key            Location/Qualifiers
FH
FT   Region         1..362
FT                  /label= extracellular_region
FT   Region         298..441
FT                  /note= "coiled structure"
```

```
FT   Region         /note= "cell-associated region"
FT                  407..441
FT                  /label= anchor
FT                  /note= "preferred anchor region for use in novel
FT                  fusion proteins; includes a 3 amino acid
FT                  spacer between the consensus anchor motif
FT                  and the hydrophobic segment"
FT   Region         298..370
FT                  /label= carbohydrate_segment
FT   Region         371..416
FT                  /label= peptidoglycan_segment
FT   Region         407..412
FT                  /note= "consensus LPSTGE motif common to anchor
FT                  regions of gram-positive bacteria"
FT   Region         417..435
FT                  /label= hydrophobic_segment
FT   Region         436..441
FT                  /note= tail_segment
FT                  /note= "highly charged"
XX
PN   WO9318163-A.
XX
DR   WPI; 1993-303477/38.
XX
PI   Fischetti VA, Pozzi G, Schneewind O;
XX
PA   (UYRO ) UNIV ROCKEFELLER.
XX
PR   13-MAR-1992; 92US-0851082.
XX
PD   16-SEP-1993.
XX
PF   12-MAR-1993; 93WO-US02355.
XX
PT   Gene encoding hybrid surface protein of gram positive bacteria -
PT   useful for preparing vaccine compsn. for protecting animals from
PT   bacterial infection
XX
PS   Disclosure and Claim 14; Fig 3; 85pp; English.
XX
CC   Hybrid surface proteins are claimed in which an active
CC   polypeptide (e.g. a surface antigen from a mammalian tumour cell,
CC   sperm or an allergen; bacterium, virus, parasite or fungus) is
CC   fused to an anchor region from a surface antigen normally
CC   expressed
CC   on the cell surface of gram positive bacteria. The anchor
CC   segment
CC   is pref. derived from a streptococcal M protein.
XX
SQ   Sequence    441 AA;

Query Match           6.9%;  Score 163.5;  DB 14;  Length 441;
Best Local Similarity   22.3%;  Pred. No. 5.9e-05;
Matches  81;  Conservative  70;  Mismatches 124;  Indels  89;  Gaps 14;

Qy    55 KRTIINKLFFDLAQEEENVLDREFLKNELDNVRAQLSQKDK--EKRDSQVIIDTLRDTLE 112
          |:|:| |:|:| ||                    |  :  ::|:||:|| :|:|
Db   124 kktidetvkdkiakeqesketigtlkktlde------tvkdkiakeqesketigtlkktld 178

Qy   113 ERNATVVSLQQALGKAEMLCSTLKKQMKYLEQQDET-------KQAQEEAGRLRSKMK 164
          ||   :|   ||                           :::::| |:| |
Db   179 etvkdkiakeq--esketigtlkil------detvkdkiareqskqdigalkq-- 225

Qy   165 TMEQIELLLQSQLPEVEE------MIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASG 219
          |  ||              |:  |:                    | ::|  |:
Db   226 -----elakkdegnkvseasrkglrrdldasreakkqvekdlanltaeldkvkeekqisd 280

Qy   220 EVADKLRKDLFSSRSKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLTMLQETLN 279
          || ||  |                ::  :  :  ::||    |:||| ||:|:
Db   281 asrgglrrdldasr-------eak---kqvekaleeanskiaalekinkelees-- 324

Qy   280 LPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDIDLNA---------TFDVDTPPARP 329
          |: :|  |   ||                           | |:|
Db   325 ------kkltekekaelqaklaqaeelaklragakasdsqtpdakp 375
```

Qy 330 SSSQHGYYEKLCLEKSHSPIQDVPKKICKGPRKESQLSLGGQSCAGEPDEELVGAFPIFV 389
            ||:|
Db 376 gn------kvvpgkgqapgagtkpnqnkapmketkrql---pstget-----anpfft 419

Qy 390 RNAI 393
            |:
Db 420 aaal 423

RESULT 36
ID AAW08927 standard; Protein; 483 AA.
AC AAW08927;
XX
DT 31-MAR-1997 (first entry)
XX
DE Type-6 M-protein.
XX
OS Streptococcus pyogenes.
XX
FH Key   Location/Qualifiers
FT Peptide   1..42
FT   /note="Signal peptide (claim 22)"
FT Peptide   1..58
FT   /note="preferred N-terminal secretion sequence
FT   (claim 23)"
FT Peptide   263..342
FT   /note="preferred spacer peptide (claim 32)"
FT Peptide   344..483
FT   /note="preferred C-terminal anchoring sequence
FT   (claim 25)"
FT Domain   405..458
FT   /note="proline/glycine-rich cell wall domain"
FT Peptide   449..454
FT   /note="Conserved C-terminal motif (AAW08924, claim 9)"
FT Domain   459..477
FT   /note="Hydrophobic membrane-spanning domain"
FT Domain   478..483
FT   /note="C-terminal charged tail"
XX
KW Type-6 M-protein; emm6 gene; Streptococcus pyogenes; signal peptide;
KW anchor peptide; C-terminal sorting signal; surface display;
KW fusion protein; protease-deficient; Streptococcus gordonii;
KW SPEX vector; fusion protein cleavage; spacer; protein secretion;
KW TEV-NIa protease; diagnostic; recombinant vaccine; therapy.
XX
OS Streptococcus pyogenes.
XX
PN WO9640943-A1.
XX
PD 19-DEC-1996.
XX
PF 06-JUN-1996; 96WO-US09965.
XX
PR 07-JUN-1995; 95US-0472244.
XX
PA (UIRQ) UNIV ROCKEFELLER.
XX
PI Darzins A, Hruby D, Whitehead S;
XX
DR WPI; 1997-053336/05.
DR N-PSDB; AAT49317.
XX
PT Expressing heterologous proteins in gram-positive bacteria -
PT produces proteins anchored to host's cell surface, or secreted from
PT cell
PS Disclosure: Fig 3; 41pp; English.
XX
CC This sequence represents Streptococcus pyogenes type-6 M-protein,
CC which is a cell wall surface protein. The N-terminal signal
CC peptide, part of the mature N-terminal sequence, the C-terminal
CC sorting signal (anchor) sequence and optionally a spacer region

---

CC from the protein may be expressed as a fusion with a target protein
CC in a protease-deficient Gram-positive host, e.g. the human oral
CC commensal Streptococcus gordonii, in a new cloning method involving
CC the SPEX vector series (e.g. plasmid pSPEX1a). The C-terminal
CC sorting signal contains a proline/glycine-rich region (with a
CC conserved cell wall anchoring motif; AAW08924), a hydrophobic
CC membrane-spanning region and a charged tail. The resulting fusion
CC protein is expressed on the cell surface, and may be cleaved with
CC e.g. tobacco-etch virus TEV-NIa protease (at a site adjacent to the
CC anchor, e.g. AAW08925-26) for simple purification. A spacer region
CC from M-protein may be included to reduce steric hindrance during
CC fusion protein secretion. A vector without the anchor sequence may
CC be used for protein secretion. The method may be used in production
CC of recombinant diagnostic, vaccine and therapeutic proteins.
XX
SQ Sequence 483 AA;

Query Match   6.9%;   Score 163.5; DB 18; Length 483;
Best Local Similarity   22.3%; Pred. No. 6.7e-05;
Matches   81; Conservative   70; Mismatches 124; Indels 89; Gaps 14;

Qy 113 ERNATVVSLQQALGKAEMLCSTLKKQMKYLEQQQDET---------KQAEEAGRLRSKMK 164
            :||: ||::| ||:| ||
Db 221 etvkdkiakeq--esketigtlkil-------detvkdkiareqkskqdigalkq-- 267

Qy 165 TMEQIELLLQSQLPEVEE-----MIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASG 219
            :| || || :| | |:| |:| ||
Db 268 -----glakkdegnkvseasrkglirdldasreakkqvekdlanltaeldvkeekqisd 322

Qy 220 EVADKLRKDLFSSRSRSKLQTVYSELDQAKLELKSAOKDLQSADKEIMSLKKKLTMLQETLN 279
            |||| ||| :| ||:| ||
Db 323 asrglrrdldasr------------eak--kqvekaleeansklaalekinkelees-- 366

Qy 280 LPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDIDLNA-----------TFDVDTPPARP 329
                                                               |||
Db 367 ------kkltekekaelqakleaeakalkeqlakqaeelaklragkasdsqtpdakp 417

Qy 330 SSSQHGYYEKLCLEKSHSPIQDVPKKICKGPRKESQLSLGGQSCAGEPDEELVGAFPIFV 389
            ||:|
Db 418 gn------kvvpgkgqapgagtkpnqnkapmketkrql---pstget-----anpfft 461

Qy 390 RNAI 393
            |:
Db 462 aaal 465

RESULT 37
ID AAM40016 standard; Protein; 1213 AA.
AC AAM40016;
XX
DT 22-OCT-2001 (first entry)
XX
DE Human polypeptide SEQ ID NO 3161.
XX
OS Homo sapiens.
XX
KW Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW peripheral nervous system; neuropathy; central nervous system; CNS;
KW Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW leukaemia.
XX
OS Homo sapiens.
XX
PN WO200153312-A1.
XX
PD 26-JUL-2001.

```
XX
PF   26-DEC-2000; 2000WO-US34263.
XX
PR   21-JAN-2000; 2000US-0488725.
PR   25-APR-2000; 2000US-0552317.
PR   09-JUL-2000; 2000US-0598042.
PR   19-JUL-2000; 2000US-0620312.
PR   03-AUG-2000; 2000US-0653450.
PR   14-SEP-2000; 2000US-0662191.
PR   19-OCT-2000; 2000US-0693036.
PR   29-NOV-2000; 2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI   Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI   Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR   WPI; 2001-442253/47.
DR   N-PSDB; AAI59172.
XX
PN   Novel nucleic acids and polypeptides, useful for treating disorders
PT   such as central nervous system injuries -
XX
PS   Example 4; SEQ ID NO 3161; 10078pp; English.
XX
CC   The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC   the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence  1213 AA;

Query Match     6.9%;  Score 163.5;  DB 22;  Length 1213;
Best Local Similarity   23.5%;  Pred. No. 0.0024;
Matches 109;  Conservative 70;  Mismatches 170;  Indels 115;  Gaps 20;

Qy    39  ETAPSRTCPQCRIQVGKRT-IINKL--FFDLAQEEENVLDREFLKNELDNVRAQLSQKDK   95
              |||   |:|  :|  : | ||| |:|:||      :| || | |:|| |||   | |:|
Db   173  echrrtvyelenekhhtdymnksddftnllege----rerlkkllegekaygqarkek   227

Qy    96  E--KRDSQVIIDTFLRDTLEERNATVVSLQQALGKAEMLCSTLRKQMYLEQOODETRKOAQ  153
             |  ||| :||| | | ||:   ||| | :  : |||  ||   |    || |    |::||
Db   228  enakr-----lnklrdelvklksfalnl---vderqmhieqlglgs---qkvqdltgklr   276

Qy   154  EEAGRLRS--KMKTMEQIELLLQSOL-----------PEVEEMIRDMGVGQSAVEQLAVVCV  202
             |  |  :  ||   :   |:|:||| |           ||  | :  |:|| :| |  | |||
Db   277  eeeelkaitskedrqklklevdfehkasrfsgcheennaklanqeshnrqlrlklv   336

Qy   203  SLKKEYENLKEARK-------------ASGEV------ADKLRKDLFSS-------  232
             | |   | | : |:             :|| :       ||| |  | |:
Db   337  glrqrleelaetenkniqkaeeeelqeirdkiakgecgnsslmaeenirkrvlemegkdee  396

Qy   233  --------RSKLQTVYSELDQAKLELKSAQKDLQSADK-EIMSLKKKLTMLQEFLNL  280
                     ||| | |:| ::| :|||:|| |:|:    |  : |   |:| | || |
Db   397  itktesqcrelrkklqeeehhskelrilevklqkrmselekleeafsksksectqlhlnl  456

Qy   281  PPVASETVDRL----VLESPAP----VEVNLKLRRPSPRDDIDLNATFDVDPPARPSSS  332
             | | |: | |     |: | |     |: | |  |: | : ||  ||| | ||| | |
Db   457  ekeknltkdllnelevvksrvkelecsesrlekaelslkddltklkfstvmlvderkn--  514
```

```
Qy   333  QHGYEKLCLEK---------------SHSPIQDVPKKICKGPRK----ESQLSLGGOSCAGE  376
             |:| |: |||               :| |: | ||:|| || |      |::| |||: :| |
Db   515  ---mmeikqeerkvdglnknfkveqgkvmdvteklleeskllklksemeekvynltre   571

Qy   377  PDEELVGFAPPIFVRNAILGOKQPKRPRSESSCSKDVVRTGFDGL  420
             || || |  |: |  |||| |||:|||:|||:||:||||| | |||
Db   572  rd-eligkl----------kseeeksselscsvdllkkrldgi   603

RESULT  38
ABB59807
ID   ABB59807 standard; Protein; 1639 AA.
XX
AC   ABB59807;
XX
DT   26-MAR-2002  (first entry)
XX
DE   Drosophila melanogaster polypeptide SEQ ID NO 6213.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical.
XX
OS   Drosophila melanogaster.
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US09231.
XX
PR   23-MAR-2000; 2000US-191639P.
PR   11-JUL-2000; 2000US-0614150. .
XX
PA   (PEKE ) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL03910.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PS   Disclosure; SEQ ID NO 6213; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL01840-ABL16175), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins
CC   (ABB57737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence  1639 AA;

Query Match     6.9%;  Score 163.5;  DB 22;  Length 1639;
Best Local Similarity   21.7%;  Pred. No. 0.00036;
Matches 117;  Conservative 72;  Mismatches 220;  Indels 129;  Gaps 21;

Qy     7  CTICSDFDHSRDVAAIHCGHTFHLQCLIQSFETAPSRTCPQCRIQVGKRTIINKLFFDL   66
              ||:  |:|     | |  |  : :|| |||:    | |:| |||||||||||||||| |||
Db  1047  cidcpdcynlvqdaadihraklfnlsqtldeiartpvtnddefe---aklkavqekvavi  1103

Qy    67  AQEEEN---------------VLDREFLKNELDNVRAQLSQKDKEKRDSQVIIDTFLRDTLEERN  115
              | :|||               ||||||||||||||||||||  |  : |::| | |: || |:
Db  1104  aqdardnsgdgggtqyaevidd--lhkhldsvrehlvsadkfgqdangeidrar-----qn  1156
```

CC The invention relates to a method for diagnosing a disorder characterised
CC by expression of a human cancer associated antigen precursor coded for by
CC a nucleic acid molecule (NAM). The method comprises: (a) contacting a
CC nucleic acid sample isolated from a subject with an agent that specifically
CC binds to the NAM, an expression product or a fragment of an expression
CC product complexed with an HLA molecule; and (b) determining the
CC interaction between the agent and the NAM or the expression product as a
CC determination of the disorder. The products and methods can be used in
CC the diagnosis, monitoring, research, or treatment of conditions
CC characterised by the expression of various cancer associated antigens.
CC The invention provides nucleic acid sequences and encoded polypeptides
CC which are cancer associated antigen precursors expressed in human breast
CC cancer, renal cancer, colon cancer, gastric cancer, prostate cancer and
CC lung cancer.
XX
SQ Sequence 1752 AA;

Query Match   6.9%; Score 163.5; DB 20; Length 1752;
Best Local Similarity 20.3%; Pred. No. 0.0004;
Matches   96; Conservative   96; Mismatches 156; Indels 125; Gaps   22;

Qy   15 DHSRDVAAIHCGHTFHLQCLIQSFETAPSRTCPQCRIQVGKRTIINKLFPDLAQEEENVL 74
Db   68 eyenelakvrnhyneemsnlrnkyet------------einitkttl----keismqked-- 111

Qy   75 DREFLKNELDNVRAQLSQKDKEKRDSQVIID--TLRDTLEERNATVVSLQQOALGKAEMLC 132
Db 112 dsknlrnqld---rlsrenrdikdeivrlndsilqateqrrraeenalqgkacgseinq 167

Qy 133 ST--LKKQMKYLEQQQDET-----KQAQEEAGR-LRSKMKTMEQIELLLQ------S 175
Db 168 kkqhlelelkqvmqgrseednarhkgsleeaaktiqdknkelerlkaefqeeakrrweyen 227

Qy 176 QLPEV-------EEMI-------RDMGVGQSAVEQLAVY-----CVSLKKEYENLKEARKASG 219
Db 228 elskvrnnydeeiislknqfeteinitkttihqltmqkeedtsyrraqidnltrenrsls 287

Qy 220 EVADKLRKDLFSSRSRKLQTVYSELDQAK---------------LELKSA----------Q 254
Db 288 eeikrlknltqttenlrrveediqqqkatgsevsqrkqglevelrqvtqmrteesvryk 347

Qy 255 KDLQSADKEIMSLKKKLTMLQETLNLPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDI 314
Db 348 qslddaaktiqdknkelerlkqlid----ketndrkcle-----denarlqrvgay---- 393

Qy 315 DLNATFDVDPPARPSSSQHGY------YEKLCLEKSHSPIQDVPKKICKGPRKESQLS 367
Db 394 dlqkanssatetinklkvqegelrlrldyervsqertvkd-qgitr--fqnslkelqlq 450

Qy 368 LGGQSCAGEPDEELVGAFPIFVRNAILGQKQKPKRPRSESSCSCSKDVVRTGFDGL 420
Db 451 -----kqkveeel-----nrlkrtasedsckrkkleeelegm 482

RESULT 40
AAM40999
ID AAM40999 standard; Protein; 1988 AA.
XX
AC AAM40999;
XX
DT 22-OCT-2001 (first entry)
XX
DE Human polypeptide SEQ ID NO 5930.
XX
KW Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW peripheral nervous system; neuropathy; central nervous system; CNS;
KW Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW leukaemia.
XX
OS Homo sapiens.

RESULT 39
AAY07031
ID AAY07031 standard; Protein; 1752 AA.
XX
AC AAY07031;
XX
DT 02-JUL-1999 (first entry)
XX
DE Breast cancer associated antigen precursor sequence.
XX
KW Cancer associated antigen; diagnosis; research; treatment; human;
KW breast cancer; colon cancer; gastric cancer; renal cancer; lung cancer;
KW prostate cancer.
XX
OS Homo sapiens.
XX
DR WPI; 1999-132448/11.
XX
PI Chen Y, Gout I, O'Hare M, Obata Y, Old LJ;
PI Freundschuh M, Sahin U, Scanlan MJ, Stockert E;
PI Tureci O;
XX
PA (LUDW-) LUDWIG INST CANCER RES.
XX
PN WO9904265-A2.
XX
PD 28-JAN-1999.
XX
PF 15-JUL-1998; 98WO-US14679.
XX
PR 22-JUN-1998; 98US-0102322.
PR 17-JUL-1997; 97US-0896164.
PR 10-OCT-1997; 97US-0061599.
PR 10-OCT-1997; 97US-0061765.
PR 10-OCT-1997; 97US-0948705.
PR 11-OCT-1997; 97GB-0021697.
XX
PT New isolated cancer associated nucleic acids and polypeptides -
PT isolated using sera from cancer patients, used to develop products
PT for the diagnosis, monitoring or treatment of cancers
XX
PS Disclosure: Page 409-413; 787pp; English.

Qy 116 ATVV---------SLQQALG----KAEMLCSTLKKQMKYLEQQQDETKQAQEEAGRLRS 161
Db 1157 ytildqitenakkelqqaidllndegaqalarakeksvef-gqqseqisdisrearalad 1215

Qy 162 KMKTMEQIEL------LLQSQLPEVEEMIRDMGVGQSAVEQLAVYCV 202
Db 1216 kleseaqfqlknakdakdavekahqlaksaidlqlkigtelrsevqlelshvkq------ 1269

Qy 203 SLKKEYENLKEARKASGEVADKLRKDLFSSRSRKLQTVYSELDQAKLELKSAAQKDLQSADK 262
Db 1270 slgtvvqtskealrkanevyd------taltlndv-nrqtppeidisqlkkdavaane 1321

Qy 263 EIMSLKKKLTMLQETLNLPPVASETVDRLVLESPAPVEVNLKLRRPSFRDDIDL----NA 318
Db 1322 radelkqitelsnsngelfadfeteqel-------teallkraeqqledielleraka 1374

Qy 319 TFDVDTPPARPSSS----OHGYYEKLC--------LEKSHSPIQDVPKKICKGPRKESQ 365
Db 1375 ahdkatkaveqgdntlkeanntyeklagfcgsdvqvqrssesaaekalqtvp----niekelq 1429

Qy 366 LSLGGQSCAGEPDEELVGAFPIFVRNAILGQKQP----------KRPRSESS 407
Db 1430 ---naesllsqaeealdga---nknaneakknaqeaqlkyaeqgaskdaeliirrkanetk 1482

Qy 408 CSKDVVRTGFDGLGGRTKPIQPFDTVMIRPLPVKPKTKVKQRVRVKTVPSLFQQAKLDT 465
Db 1483 vaarnlreeadqlnhrvklte-mdifkleesstkddnlvddakr-----kvgqakadt 1534

```
XX
PN   WO200153312-A1.
XX
PD   26-JUL-2001.
XX
PF   26-DEC-2000; 2000WO-US34263.
XX
PR   21-JAN-2000; 2000US-0488725.
PR   25-APR-2000; 2000US-0552317.
PR   09-JUL-2000; 2000US-0598042.
PR   19-JUL-2000; 2000US-0620312.
PR   03-AUG-2000; 2000US-0653450.
PR   14-SEP-2000; 2000US-0662191.
PR   19-OCT-2000; 2000US-0693036.
PR   29-NOV-2000; 2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI   Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI   Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
PS   Example 2; SEQ ID NO 5930; 1007bpp; English.
XX
PT   Novel nucleic acids and polypeptides, useful for treating disorders
PT   such as central nervous system injuries -
XX
DR   WPI; 2001-442253/47.
DR   N-PSDB; AAI60155.
XX
CC   The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC   the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence 1988 AA;
```

```
Query Match             6.9%;   Score 163.5;  DB 22;   Length 1988;
Best Local Similarity   22.7%;  Pred. No. 0.00048;
Matches  113;  Conservative  77;  Mismatches 152;  Indels 155;  Gaps   21;

Qy     35 IQSFETAPSRTCPQCRIQVGKRTIINKLFFDLAQEENVLDREF--LKNELDNVRAQLSQ 92
          ||:||| | | :|| | ::||:| || |::| | |::| | |:|
Db   1399 iesleeakkklkdae-alsqrleekalaydklektknrlqqelddltvdldhgrqvasn 1457

Qy     93 -KDKEKRDSQVIIDTL----------ERNATVVSLQQALGKA------------ 128
          : ||:|| |:||| ||| || ::|
Db   1458 lekkqkkfdqllaeeksisaryaeerdraeaeareketkalslaraleealkeeferq 1517

Qy    129 ------------EMLCST-------------LKKQMKYLEQQQDETK--------- 159
          : |:| ||:||:|||| | |:|
Db   1518 nkqlradmedlmsskddvgknvhelekskraleqqveemrtqleeledelqatedakirl 1577

Qy    160 RSKMKTM--------------EQIELLLQSOLPEVEEMIRDMGVGQSAVEQLAYCVSL 204
          : | | |:| |::| ||:|: | |::|
Db   1578 evnmqamkaqferdlqtrdeqneekkrllikqvreleaeled----erkqralavask 1631

Qy    205 KKEYENLKE-----------ARKASGEVADKLRK------------ 233
          || || |||| || ||| |:||:
Db   1632 kkmeidlkdleaqieaankardevikqirklqaqmkdqreleearasrdeifaqskese 1691

Qy    234 SKLQTVYSELDQAKLELKSAQKDLQSADKEIMSLKKKLT-------- MLQETLNLPPVAS 285
          |||:|||:: ||||| :|| ||:| :|| | |:|| ||:|: : :|::|| |
Db   1692 kklksleaeilqlgeelasserarrhaeqerdeladeltnsasqksalldekrrlearia 1751

Qy    286 ETVDRLVLESPAPVEVNLKLRRPSFRDDIDLNATFDVDTPPARPSSSOHGYYEKLCLEKS 345
          ::|| || | | |:|| |:|| |
Db   1752 qleeeleee----qsnmellndrlfr-----kttlqvdlna----------elaaers 1790

Qy    346 HSPIQDVPKKICKGPRKESQLSLGGQSCAGEPDEELVGAF-----PIFVRNAILGQ--K 397
          | | | |:| | | | |:| : |
Db   1791 aaqksdnarqqlerqnkelkakl-----------qelegavkskfkatlsaleakigqlee 1840

Qy    398 QPKRPRSESSCSKDVVR 414
          | : : : :|:
Db   1841 qleqeakeraaanklvr 1857

Search completed: September 4, 2002, 16:08:57
Job time: 8121 sec
```